



ISAPS International Society of
Aesthetic Plastic Surgery

ISAPS INTERNATIONAL SURVEY ON
**AESTHETIC/COSMETIC
PROCEDURES**

performed in

2019



CONTENTS

| | | |
|--|------|---|
| About ISAPS..... | page | 3 |
| About the International Survey on Aesthetic/Cosmetic Procedures | page | 4 |

HIGHLIGHTS OF THE 2019 STATISTICS

| | | |
|----------------------------------|-------|-----|
| 2019 Statistics at a Glance..... | pages | 6-7 |
|----------------------------------|-------|-----|

NUMBER OF WORLDWIDE PROCEDURES

| | | |
|--|------|----|
| Number of Worldwide Surgical Procedures | page | 9 |
| Number of Worldwide Nonsurgical Procedures | page | 10 |
| Surgical Procedures by Region of the Body | page | 11 |
| Nonsurgical Procedures by Type of Procedure..... | page | 12 |
| Overview of Procedures | page | 13 |

PROCEDURES BY COUNTRY

| | | |
|---|------|----|
| USA | page | 15 |
| Brazil..... | page | 16 |
| Japan | page | 17 |
| Mexico..... | page | 18 |
| Italy | page | 19 |
| Germany..... | page | 20 |
| Turkey..... | page | 21 |
| France..... | page | 22 |
| India..... | page | 23 |
| Russia..... | page | 24 |
| Argentina..... | page | 25 |
| Colombia..... | page | 26 |
| Spain..... | page | 27 |
| Greece..... | page | 28 |
| United Kingdom..... | page | 29 |
| Thailand..... | page | 30 |
| Surgical Procedures by Country..... | page | 31 |
| Nonsurgical Procedures by Country | page | 32 |

| | | |
|---|------|----|
| Countries Performing the Most Popular Surgical Procedures | page | 33 |
| Countries Performing the Most Popular Nonsurgical Procedures | page | 34 |
| Surgical Totals Ranked by Category | page | 35 |
| Nonsurgical Totals Ranked by Category | page | 36 |
| Countries Ranked by Total Number of Procedures..... | page | 37 |
| Countries Ranked by Estimated Number of Plastic Surgeons | page | 38 |
| Surgical Procedure Group Ranking by Country | page | 39 |
| Nonsurgical Procedure Group Ranking by Country | page | 40 |

PROCEDURES PERFORMED BY PLASTIC SURGEONS

| | | |
|--|------|----|
| Number of Worldwide Surgical Procedures Performed by Plastic Surgeons..... | page | 42 |
| Number of Worldwide Nonsurgical Procedures Performed by Plastic Surgeons..... | page | 43 |
| Percent of Plastic Surgeons Performing Each Surgical Procedure | page | 44 |
| Percent of Plastic Surgeons Performing Each Nonsurgical Procedure | page | 45 |

DEMOGRAPHICS

| | | |
|---|------|----|
| Gender Distribution for Cosmetic Procedures - Surgical..... | page | 47 |
| Number of Worldwide Nonsurgical Procedures Gender Distribution for Cosmetic Procedures - Nonsurgical | page | 48 |
| Percent of Plastic Surgeons Performing Age Distribution for Certain Cosmetic Procedures..... | page | 49 |
| Percent of Plastic Surgeons Performing Cosmetic Procedures by Location..... | page | 50 |
| Medical Tourism..... | page | 51 |

PROCEDURE INFO SHEET

| | | |
|---|------|----|
| Info Sheet: Surgical Procedures..... | page | 53 |
| Info Sheet: Nonsurgical Procedures..... | page | 54 |

ABOUT ISAPS

Founded in 1970, the International Society of Aesthetic Plastic Surgery (ISAPS) is the world's leading professional body for board-certified aesthetic plastic surgeons.

Regarded as the leading global authority on aesthetic and cosmetic surgery, ISAPS' threefold mission is to offer Aesthetic Education Worldwide®, to provide accurate information to the public, and to promote patient safety.

ISAPS membership includes the world's best and most respected reconstructive and aesthetic plastic surgeons in over 100 countries. Through its rigorous membership requirements, ISAPS plastic surgeons are considered to be among the most qualified surgeons in their respective countries. Furthermore, ISAPS has become the gold standard for providing continuing aesthetic education to its members, providing training and sponsoring scientific meetings around the world.

A full list of ISAPS plastic surgeons can be found online at www.isaps.org.



ABOUT THE INTERNATIONAL SURVEY ON AESTHETIC/COSMETIC PROCEDURES

METHODOLOGY

Survey participants completed a questionnaire that primarily focused on the number of specific surgical and non-surgical procedures performed in 2019, along with some ancillary questions related to medical tourism.

The International Society of Aesthetic Plastic Surgery (ISAPS) issued an invitation to participate in the study to approximately 25,000 Plastic Surgeons whose contact information is housed in its proprietary database. In addition, a request was made that all National Societies encourage their members/constituents to take part in the survey.

Data from a total of 1,321 plastic surgeons were compiled for this survey.

Final figures have been projected to reflect international statistics and are exclusively based on the estimated number of Plastic Surgeons actively practicing in each country and the respondent sample. This International Survey is focused on physicians who are board certified (or national equivalent) Plastic Surgeons.¹

To aid in tallying the world-wide estimate of plastic surgeons, representatives from National Societies provided recent counts for 97% of the 50,419 total estimated plastic surgeons. For those cases in which the National Society did not provide its country's total, a regression model was used to estimate the number of plastic surgeons in the country based on its population size and Gross Domestic Product.

Studies such as this must often address outlying responses. Though the outlying values may be legitimate, their presence can distort the averages, which provide the basis of the estimated projections. Significant outliers in this survey were adjusted in order to protect the reasonableness of the extrapolated values. Additional standard data editing procedures were followed to ensure responses met survey guidelines. All reported data values have been analyzed for statistical reasonableness.

Country-specific data are only shown for those countries that provided a sufficient survey response for the figures to be considered valid. No adjustments other than standard data editing procedures were applied to country-specific results.

The International Survey on Aesthetic/Cosmetic Procedures Performed in 2019 was compiled, tabulated, and analyzed by Industry Insights, Inc. (www.industryinsights.com), an independent research firm based in Columbus, OH. The survey leader was Scott Hackworth, a CPA and data scientist who along with his firm has conducted various forms of research on trends in Aesthetic Plastic Surgery for more than 30 years.

¹ It is important to note that Japan's figures were independently fielded and provided by Kotaro Yoshimura, M.D., Professor and Chair of the Department of Plastic Surgery, Jichi Medical University. Dr. Yoshimura expanded his sample beyond plastic surgeons, which could impact comparability among Japan and other listed countries.



HIGHLIGHTS

OF THE INTERNATIONAL SURVEY ON
**AESTHETIC/COSMETIC
PROCEDURES**

PERFORMED IN 2019

2019 STATISTICS AT A GLANCE



Top 5 surgical procedures worldwide

absolute numbers and changes compared to 2018

| | | | |
|------------------------|-----------|------------|--------|
| 1. Breast Augmentation | 1,795,551 | procedures | -3.6% |
| 2. Liposuction | 1,704,786 | procedures | -1.6% |
| 3. Eyelid Surgery | 1,259,839 | procedures | +14.5% |
| 4. Abdominoplasty | 924,031 | procedures | +4.0% |
| 5. Rhinoplasty | 821,890 | procedures | +13.1% |



Top 5 surgical procedures for women

| | | |
|------------------------|-----------|------------|
| 1. Breast Augmentation | 1,777,182 | procedures |
| 2. Liposuction | 1,458,114 | procedures |
| 3. Eyelid Surgery | 996,937 | procedures |
| 4. Abdominoplasty | 850,917 | procedures |
| 5. Breast Lift | 741,284 | procedures |



Top 5 surgical procedures for men

| | | |
|-------------------|---------|------------|
| 1. Gynecomastia | 273,344 | procedures |
| 2. Eyelid Surgery | 262,902 | procedures |
| 3. Liposuction | 246,672 | procedures |
| 4. Rhinoplasty | 205,828 | procedures |
| 5. Ear Surgery | 111,819 | procedures |



Top 5 nonsurgical procedures worldwide

absolute numbers and changes compared to 2018

| | | | |
|------------------------------|-----------|------------|--------|
| 1. Botulinum Toxin | 6,271,488 | procedures | +2.9% |
| 2. Hyaluronic Acid | 4,315,859 | procedures | +15.7% |
| 3. Hair Removal | 1,042,951 | procedures | +13.8% |
| 4. Nonsurgical Fat Reduction | 462,769 | procedures | -2.2% |
| 5. Photo Rejuvenation | 391,415 | procedures | -10.4% |



Top 5 nonsurgical procedures for women

| | | |
|------------------------------|-----------|------------|
| 1. Botulinum Toxin | 5,429,754 | procedures |
| 2. Hyaluronic Acid | 3,823,475 | procedures |
| 3. Hair Removal | 929,328 | procedures |
| 4. Nonsurgical Fat Reduction | 386,064 | procedures |
| 5. Photo Rejuvenation | 347,305 | procedures |



Top 5 nonsurgical procedures for men

| | | |
|-------------------------------|---------|------------|
| 1. Botulinum Toxin | 841,735 | procedures |
| 2. Hyaluronic Acid | 492,384 | procedures |
| 3. Hair Removal | 113,622 | procedures |
| 4. Nonsurgical Fat Reduction | 76,705 | procedures |
| 5. Micro-Ablative Resurfacing | 48,463 | procedures |

2019 STATISTICS AT A GLANCE

most common **COSMETIC** procedures per **AGE GROUP**



| | | | |
|---------------------|-----------------|-----------|------------|
| 18 years or younger | Rhinoplasty | 53,998 | procedures |
| 19-34 years old | Botulinum Toxin | 1,361,540 | procedures |
| 35-50 years old | Botulinum Toxin | 2,888,647 | procedures |
| 51-64 years old | Botulinum Toxin | 1,582,296 | procedures |
| 65+ years old | Botulinum Toxin | 375,662 | procedures |

total procedures performed **WORLDWIDE**



11,363,569
surgical procedures



13,618,735
nonsurgical procedures



United States is the country with the **Most surgeons:**
6900 plastic surgeons

United States is the country with the **Most nonsurgical procedures:**
2,630,832 procedures



Brazil is the country with the **Most surgical procedures:**
1,493,673 procedures



NUMBER OF
WORLDWIDE
PROCEDURES
PERFORMED BY PLASTIC SURGEONS IN 2019

NUMBER OF WORLDWIDE SURGICAL PROCEDURES PERFORMED BY PLASTIC SURGEONS



| Rank | SURGICAL PROCEDURES | Total | Percent of Total Surgical Procedures | Total Procedures in 2018 | Total Procedures in 2015 | Percent Change 2019 vs. 2018 | Percent Change 2019 vs. 2015 |
|------|--|-------------------|--------------------------------------|--------------------------|--------------------------|------------------------------|------------------------------|
| 1 | Breast Augmentation | 1,795,551 | 15.8% | 1,862,506 | 1,488,992 | -3.6% | 20.6% |
| 2 | Liposuction | 1,704,786 | 15.0% | 1,732,620 | 1,394,588 | -1.6% | 22.2% |
| 3 | Eyelid Surgery | 1,259,839 | 11.1% | 1,099,960 | 1,264,702 | 14.5% | -0.4% |
| 4 | Abdominoplasty | 924,031 | 8.1% | 888,712 | 758,590 | 4.0% | 21.8% |
| 5 | Rhinoplasty | 821,890 | 7.2% | 726,907 | 730,287 | 13.1% | 12.5% |
| 6 | Breast Lift | 741,284 | 6.5% | 710,014 | 512,248 | 4.4% | 44.7% |
| 7 | Breast Reduction | 600,219 | 5.3% | 534,294 | 423,093 | 12.3% | 41.9% |
| 8 | Fat Grafting-face | 598,823 | 5.3% | 542,305 | 591,894 | 10.4% | 1.2% |
| 9 | Buttock Augmentation | 479,451 | 4.2% | 346,432 | 289,023 | 38.4% | 65.9% |
| 10 | Facelift | 448,485 | 3.9% | 398,798 | 411,529 | 12.5% | 9.0% |
| 11 | Ear Surgery | 288,905 | 2.5% | 262,078 | 252,718 | 10.2% | 14.3% |
| 12 | Gynecomastia | 273,344 | 2.4% | 269,720 | 212,328 | 1.3% | 28.7% |
| 13 | Brow Lift | 270,917 | 2.4% | 220,055 | 243,140 | 23.1% | 11.4% |
| 14 | Neck Lift | 260,747 | 2.3% | 225,578 | 232,606 | 15.6% | 12.1% |
| 15 | Breast Implant Removal | 229,680 | 2.0% | 207,545 | 153,476 | 10.7% | 49.7% |
| 16 | Upper Arm Lift | 168,289 | 1.5% | 138,922 | 102,588 | 21.1% | 64.0% |
| 17 | Labiaplasty (excluding vaginal rejuvenation) | 164,667 | 1.4% | 132,664 | 95,010 | 24.1% | 73.3% |
| 18 | Facial Bone Contouring | 108,536 | 1.0% | 98,727 | 108,250 | 9.9% | 0.3% |
| 19 | Thigh Lift | 93,334 | 0.8% | 84,508 | 70,672 | 10.4% | 32.1% |
| 20 | Lower Body Lift | 75,895 | 0.7% | 81,147 | 56,169 | -6.5% | 35.1% |
| 21 | Buttock Lift | 54,894 | 0.5% | 43,734 | 30,905 | 25.5% | 77.6% |
| | TOTAL SURGICAL PROCEDURES | 11,363,569 | | 10,607,227 | 9,422,810 | 7.1% | 20.6% |

NUMBER OF WORLDWIDE NONSURGICAL PROCEDURES PERFORMED BY PLASTIC SURGEONS



| Rank | NONSURGICAL PROCEDURES | Total | Percent of Total Nonsurgical Procedures | Total Procedures in 2018 | Total Procedures in 2015 | Percent Change 2019 vs. 2018 | Percent Change 2019 vs. 2015 |
|------|-------------------------------------|-------------------|---|--------------------------|--------------------------|------------------------------|------------------------------|
| 1 | Botulinum Toxin | 6,271,488 | 46.1% | 6,097,516 | 4,627,752 | 2.9% | 35.5% |
| 2 | Hyaluronic Acid | 4,315,859 | 31.7% | 3,729,833 | 2,865,086 | 15.7% | 50.6% |
| 3 | Hair Removal | 1,042,951 | 7.7% | 916,869 | 1,099,053 | 13.8% | -5.1% |
| 4 | Nonsurgical Fat Reduction | 462,769 | 3.4% | 473,316 | 425,315 | -2.2% | 8.8% |
| 5 | Photo Rejuvenation | 391,415 | 2.9% | 436,656 | 568,672 | -10.4% | -31.2% |
| 6 | Chemical Peel | 369,497 | 2.7% | 408,485 | 489,344 | -9.5% | -24.5% |
| 7 | Micro-Ablative Resurfacing | 270,759 | 2.0% | 201,797 | 217,593 | 34.2% | 24.4% |
| 8 | Calcium Hydroxylapatite | 212,762 | 1.6% | 129,038 | 173,492 | 64.9% | 22.6% |
| 9 | Full Field Ablative | 190,978 | 1.4% | 192,880 | 169,098 | -1.0% | 12.9% |
| 10 | Poly-L-Lactic Acid | 90,259 | 0.7% | 72,756 | 64,134 | 24.1% | 40.7% |
| | TOTAL NONSURGICAL PROCEDURES | 13,618,735 | | 12,659,146 | 10,699,538 | 7.6% | 27.3% |

NUMBER OF WORLDWIDE SURGICAL PROCEDURES BY REGION OF THE BODY



| TOTAL SURGICAL PROCEDURES | 2019 | 2018 | 2015 | Percent Change 2019 vs. 2018 | Percent Change 2019 vs. 2015 |
|---|-------------------|-------------------|------------------|------------------------------|------------------------------|
| Brow Lift | 270,917 | 220,055 | 243,140 | 23.1% | 11.4% |
| Ear Surgery | 288,905 | 262,078 | 252,718 | 10.2% | 14.3% |
| Eyelid Surgery | 1,259,839 | 1,099,960 | 1,264,702 | 14.5% | -0.4% |
| Facelift | 448,485 | 398,798 | 411,529 | 12.5% | 9.0% |
| Facial Bone Contouring | 108,536 | 98,727 | 108,250 | 9.9% | 0.3% |
| Fat Grafting-face | 598,823 | 542,305 | 591,894 | 10.4% | 1.2% |
| Neck Lift | 260,747 | 225,578 | 232,606 | 15.6% | 12.1% |
| Rhinoplasty | 821,890 | 726,907 | 730,287 | 13.1% | 12.5% |
| TOTAL FACE & HEAD | 4,058,143 | 3,574,408 | 3,835,127 | 13.5% | 5.8% |
| Breast Augmentation | 1,795,551 | 1,862,506 | 1,488,992 | -3.6% | 20.6% |
| Breast Implant Removal | 229,680 | 207,545 | 153,476 | 10.7% | 49.7% |
| Breast Lift | 741,284 | 710,014 | 512,248 | 4.4% | 44.7% |
| Breast Reduction | 600,219 | 534,294 | 423,093 | 12.3% | 41.9% |
| Gynecomastia | 273,344 | 269,720 | 212,328 | 1.3% | 28.7% |
| TOTAL BREAST | 3,640,079 | 3,584,079 | 2,790,138 | 1.6% | 30.5% |
| Abdominoplasty | 924,031 | 888,712 | 758,590 | 4.0% | 21.8% |
| Buttock Augmentation | 479,451 | 346,432 | 289,023 | 38.4% | 65.9% |
| Buttock Lift | 54,894 | 43,734 | 30,905 | 25.5% | 77.6% |
| Liposuction | 1,704,786 | 1,732,620 | 1,394,588 | -1.6% | 22.2% |
| Lower Body Lift | 75,895 | 81,147 | 56,169 | -6.5% | 35.1% |
| Thigh Lift | 93,334 | 84,508 | 70,672 | 10.4% | 32.1% |
| Upper Arm Lift | 168,289 | 138,922 | 102,588 | 21.1% | 64.0% |
| Labiaplasty (excluding vaginal rejuvenation) | 164,667 | 132,664 | 95,010 | 24.1% | 73.3% |
| TOTAL BODY & EXTREMITIES | 3,665,347 | 3,448,740 | 2,797,545 | 6.3% | 31.0% |
| TOTAL SURGICAL PROCEDURES | 11,363,569 | 10,607,227 | 9,422,810 | 7.1% | 20.6% |

FACE & HEAD



BREAST



BODY & EXTREMITIES



NUMBER OF WORLDWIDE NONSURGICAL PROCEDURES BY TYPE OF PROCEDURE



| TOTAL NONSURGICAL PROCEDURES | 2019 | 2018 | 2015 | Percent Change 2019 vs. 2018 | Percent Change 2019 vs. 2015 | INJECTABLES |
|------------------------------|-------------------|-------------------|------------------|------------------------------|------------------------------|-------------|
| Botulinum Toxin | 6,271,488 | 6,097,516 | 4,627,752 | 2.9% | 35.5% | |
| Calcium Hydroxylapatite | 212,762 | 129,038 | 173,492 | 64.9% | 22.6% | |
| Hyaluronic Acid | 4,315,859 | 3,729,833 | 2,865,086 | 15.7% | 50.6% | |
| Poly-L-Lactic Acid | 90,259 | 72,756 | 64,134 | 24.1% | 40.7% | |
| TOTAL INJECTABLES | 10,890,368 | 10,029,144 | 7,730,464 | 8.6% | 40.9% | |




| | | | | | | |
|----------------------------------|------------------|------------------|------------------|--------------|---------------|---------------------|
| Chemical Peel | 369,497 | 408,485 | 489,344 | -9.5% | -24.5% | FACIAL REJUVENATION |
| Full Field Ablative | 190,978 | 192,880 | 169,098 | -1.0% | 12.9% | |
| Micro-Ablative Resurfacing | 270,759 | 201,797 | 217,593 | 34.2% | 24.4% | |
| Photo Rejuvenation | 391,415 | 436,656 | 568,672 | -10.4% | -31.2% | |
| TOTAL FACIAL REJUVENATION | 1,222,648 | 1,239,819 | 1,444,707 | -1.4% | -15.4% | |




| | | | | | | |
|---------------------------|-------------------|-------------------|-------------------|-------------|--------------|-------|
| Hair Removal | 1,042,951 | 916,869 | 1,099,053 | 13.8% | -5.1% | OTHER |
| Nonsurgical Fat Reduction | 462,769 | 473,316 | 425,315 | -2.2% | 8.8% | |
| TOTAL OTHER | 1,505,719 | 1,390,185 | 1,524,367 | 8.3% | -1.2% | |
| TOTAL NONSURGICAL | 13,618,735 | 12,659,147 | 10,699,538 | 7.6% | 27.3% | |



| | | | | | |
|-----------------------------|-------------------|-------------------|-------------------|-------------|--------------|
| TOTAL ALL PROCEDURES | 24,982,304 | 23,266,375 | 20,122,348 | 7.4% | 24.2% |
|-----------------------------|-------------------|-------------------|-------------------|-------------|--------------|



OVERVIEW OF ALL PROCEDURES





PROCEDURES
BY COUNTRY



USA

TOTAL NUMBER OF PROCEDURES IN THE USA 3,982,749

TOTAL SURGICAL PROCEDURES 1,351,917

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 24,219 | Abdominoplasty | 131,652 |
| Ear Surgery | 12,351 | Buttock Augmentation | 37,329 |
| Eyelid Surgery | 113,988 | Buttock Lift | 7,452 |
| Facelift | 65,688 | Liposuction | 242,259 |
| Facial Bone Contouring | 6,624 | Lower Body Lift | 7,797 |
| Fat Grafting (face) | 49,473 | Thigh Lift | 9,522 |
| Neck Lift | 31,326 | Upper Arm Lift | 19,734 |
| Rhinoplasty | 39,330 | Labiaplasty | 12,006 |
| TOTAL FACE & HEAD | 342,999 | TOTAL BODY & EXTREMITIES | 467,751 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 269,514 |
| Breast Implant Removal | 47,679 |
| Breast Lift | 121,302 |
| Breast Reduction | 78,936 |
| Gynecomastia | 23,736 |
| TOTAL BREAST | 541,167 |


| MOST COMMON PROCEDURES | | |
|------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 269,514 | 19.9% |
| Liposuction | 242,259 | 17.9% |
| Abdominoplasty | 131,652 | 9.7% |
| Breast Lift | 121,302 | 9.0% |
| Eyelid Surgery | 113,988 | 8.4% |

TOTAL NONSURGICAL PROCEDURES 2,630,832

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|------------------|----------------------------------|----------------|
| Botulinum Toxin | 1,301,823 | Chemical Peel | 73,347 |
| Calcium Hydroxylapatite | 37,881 | Full Field Ablative | 30,360 |
| Hyaluronic Acid | 679,167 | Micro-Ablative Resurfacing | 69,621 |
| Poly-L-Lactic Acid | 27,117 | Photo Rejuvenation | 102,741 |
| TOTAL INJECTABLES | 2,045,988 | TOTAL FACIAL REJUVENATION | 276,069 |

| OTHER | |
|---------------------------|----------------|
| Hair Removal | 182,160 |
| Nonsurgical Fat Reduction | 126,615 |
| TOTAL OTHER | 308,775 |

| MOST COMMON PROCEDURES | | |
|---------------------------|-----------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 1,301,823 | 49.5% |
| Hyaluronic Acid | 679,167 | 25.8% |
| Hair Removal | 182,160 | 6.9% |
| Nonsurgical Fat Reduction | 126,615 | 4.8% |
| Photo Rejuvenation | 102,741 | 3.9% |



BRAZIL

TOTAL NUMBER OF PROCEDURES IN BRAZIL 2,565,675

TOTAL SURGICAL PROCEDURES 1,493,673

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 40,214 | Abdominoplasty | 154,663 |
| Ear Surgery | 31,798 | Buttock Augmentation | 115,531 |
| Eyelid Surgery | 145,346 | Buttock Lift | 5,650 |
| Facelift | 59,870 | Liposuction | 231,604 |
| Facial Bone Contouring | 10,399 | Lower Body Lift | 9,678 |
| Fat Grafting (face) | 61,072 | Thigh Lift | 10,459 |
| Neck Lift | 30,416 | Upper Arm Lift | 19,416 |
| Rhinoplasty | 72,433 | Labiaplasty | 30,356 |
| TOTAL FACE & HEAD | 451,546 | TOTAL BODY & EXTREMITIES | 577,357 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 211,287 |
| Breast Implant Removal | 19,355 |
| Breast Lift | 114,389 |
| Breast Reduction | 87,640 |
| Gynecomastia | 32,099 |
| TOTAL BREAST | 464,771 |


| MOST COMMON PROCEDURES | | |
|------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Liposuction | 231,604 | 15.5% |
| Breast Augmentation | 211,287 | 14.1% |
| Abdominoplasty | 154,663 | 10.4% |
| Eyelid Surgery | 145,346 | 9.7% |
| Buttock Augmentation | 115,531 | 7.7% |

TOTAL NONSURGICAL PROCEDURES 1,072,002

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 507,869 | Chemical Peel | 34,804 |
| Calcium Hydroxylapatite | 29,694 | Full Field Ablative | 15,088 |
| Hyaluronic Acid | 398,830 | Micro-Ablative Resurfacing | 12,503 |
| Poly-L-Lactic Acid | 20,738 | Photo Rejuvenation | 24,044 |
| TOTAL INJECTABLES | 957,132 | TOTAL FACIAL REJUVENATION | 86,438 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 17,552 |
| Nonsurgical Fat Reduction | 10,880 |
| TOTAL OTHER | 28,432 |

| MOST COMMON PROCEDURES | | |
|-------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 507,869 | 47.4% |
| Hyaluronic Acid | 398,830 | 37.2% |
| Chemical Peel | 34,804 | 3.2% |
| Calcium Hydroxylapatite | 29,694 | 2.8% |
| Photo Rejuvenation | 24,044 | 2.2% |



JAPAN

TOTAL NUMBER OF PROCEDURES IN JAPAN 1,473,221

TOTAL SURGICAL PROCEDURES 249,543

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|---------------|
| Brow Lift | 200 | Abdominoplasty | 39 |
| Ear Surgery | 326 | Buttock Augmentation | 24 |
| Eyelid Surgery | 150,589 | Buttock Lift | 1 |
| Facelift | 37,317 | Liposuction | 8,259 |
| Facial Bone Contouring | 997 | Lower Body Lift | 62 |
| Fat Grafting (face) | 12,875 | Thigh Lift | 11 |
| Neck Lift | 166 | Upper Arm Lift | 4 |
| Rhinoplasty | 28,987 | Labiaplasty | 3,223 |
| TOTAL FACE & HEAD | 231,457 | TOTAL BODY & EXTREMITIES | 11,623 |

| BREAST | |
|------------------------|--------------|
| Breast Augmentation | 5,633 |
| Breast Implant Removal | 618 |
| Breast Lift | 65 |
| Breast Reduction | 63 |
| Gynecomastia | 84 |
| TOTAL BREAST | 6,463 |

| MOST COMMON PROCEDURES | | |
|------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Eyelid Surgery | 150,589 | 60.3% |
| Facelift | 37,317 | 15.0% |
| Rhinoplasty | 28,987 | 11.6% |
| Fat Grafting (face) | 12,875 | 5.2% |
| Liposuction | 8,259 | 3.3% |

TOTAL NONSURGICAL PROCEDURES 1,223,678

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|----------------|
| Botulinum Toxin | 337,579 | Chemical Peel | 130,460 |
| Calcium Hydroxylapatite | 962 | Full Field Ablative | 1,718 |
| Hyaluronic Acid | 126,921 | Micro-Ablative Resurfacing | 37,327 |
| Poly-L-Lactic Acid | 17 | Photo Rejuvenation | 54,537 |
| TOTAL INJECTABLES | 465,479 | TOTAL FACIAL REJUVENATION | 224,042 |

| OTHER | |
|---------------------------|----------------|
| Hair Removal | 453,338 |
| Nonsurgical Fat Reduction | 80,819 |
| TOTAL OTHER | 534,157 |

| MOST COMMON PROCEDURES | | |
|---------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Hair Removal | 453,338 | 37.0% |
| Botulinum Toxin | 337,579 | 27.6% |
| Chemical Peel | 130,460 | 10.7% |
| Hyaluronic Acid | 126,921 | 10.4% |
| Nonsurgical Fat Reduction | 80,819 | 6.6% |




MEXICO

TOTAL NUMBER OF PROCEDURES IN MEXICO 1,200,464

TOTAL SURGICAL PROCEDURES 580,659

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 17,034 | Abdominoplasty | 45,220 |
| Ear Surgery | 13,615 | Buttock Augmentation | 52,909 |
| Eyelid Surgery | 63,147 | Buttock Lift | 5,268 |
| Facelift | 20,688 | Liposuction | 82,347 |
| Facial Bone Contouring | 10,790 | Lower Body Lift | 4,821 |
| Fat Grafting (face) | 37,446 | Thigh Lift | 4,779 |
| Neck Lift | 15,505 | Upper Arm Lift | 10,238 |
| Rhinoplasty | 47,748 | Labioplasty | 5,310 |
| TOTAL FACE & HEAD | 225,972 | TOTAL BODY & EXTREMITIES | 210,892 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 74,637 |
| Breast Implant Removal | 10,068 |
| Breast Lift | 28,058 |
| Breast Reduction | 19,392 |
| Gynecomastia | 11,640 |
| TOTAL BREAST | 143,795 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Liposuction | 82,347 | 14.2% |
| Breast Augmentation | 74,637 | 12.9% |
| Eyelid Surgery | 63,147 | 10.9% |
| Buttock Augmentation | 52,909 | 9.1% |
| Rhinoplasty | 47,748 | 8.2% |

TOTAL NONSURGICAL PROCEDURES 619,804

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 287,420 | Chemical Peel | 14,783 |
| Calcium Hydroxylapatite | 14,762 | Full Field Ablative | 10,047 |
| Hyaluronic Acid | 170,515 | Micro-Ablative Resurfacing | 9,962 |
| Poly-L-Lactic Acid | 3,059 | Photo Rejuvenation | 23,789 |
| TOTAL INJECTABLES | 475,755 | TOTAL FACIAL REJUVENATION | 58,580 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 51,528 |
| Nonsurgical Fat Reduction | 33,942 |
| TOTAL OTHER | 85,470 |

| MOST COMMON PROCEDURES | | |
|---------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 287,420 | 46.4% |
| Hyaluronic Acid | 170,515 | 27.5% |
| Hair Removal | 51,528 | 8.3% |
| Nonsurgical Fat Reduction | 33,942 | 5.5% |
| Photo Rejuvenation | 23,789 | 3.8% |



ITALY

TOTAL NUMBER OF PROCEDURES IN ITALY 1,088,704

TOTAL SURGICAL PROCEDURES 314,432

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|---------------|
| Brow Lift | 9,132 | Abdominoplasty | 19,599 |
| Ear Surgery | 10,467 | Buttock Augmentation | 4,490 |
| Eyelid Surgery | 40,449 | Buttock Lift | 653 |
| Facelift | 8,020 | Liposuction | 39,476 |
| Facial Bone Contouring | 3,294 | Lower Body Lift | 1,154 |
| Fat Grafting (face) | 26,869 | Thigh Lift | 1,904 |
| Neck Lift | 6,491 | Upper Arm Lift | 4,587 |
| Rhinoplasty | 27,522 | Labioplasty | 3,155 |
| TOTAL FACE & HEAD | 132,245 | TOTAL BODY & EXTREMITIES | 75,018 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 56,073 |
| Breast Implant Removal | 8,521 |
| Breast Lift | 20,475 |
| Breast Reduction | 15,943 |
| Gynecomastia | 6,158 |
| TOTAL BREAST | 107,169 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 56,073 | 17.8% |
| Eyelid Surgery | 40,449 | 12.9% |
| Liposuction | 39,476 | 12.6% |
| Rhinoplasty | 27,522 | 8.8% |
| Fat Grafting (face) | 26,869 | 8.5% |

TOTAL NONSURGICAL PROCEDURES 774,272

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 315,071 | Chemical Peel | 25,618 |
| Calcium Hydroxylapatite | 17,973 | Full Field Ablative | 9,216 |
| Hyaluronic Acid | 303,812 | Micro-Ablative Resurfacing | 26,827 |
| Poly-L-Lactic Acid | 3,989 | Photo Rejuvenation | 18,028 |
| TOTAL INJECTABLES | 640,846 | TOTAL FACIAL REJUVENATION | 79,689 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 30,483 |
| Nonsurgical Fat Reduction | 23,255 |
| TOTAL OTHER | 53,737 |

| MOST COMMON PROCEDURES | | |
|----------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 315,071 | 40.7% |
| Hyaluronic Acid | 303,812 | 39.2% |
| Hair Removal | 30,483 | 3.9% |
| Micro-Ablative Resurfacing | 26,827 | 3.5% |
| Chemical Peel | 25,618 | 3.3% |



GERMANY

TOTAL NUMBER OF PROCEDURES IN GERMANY 983,432

TOTAL SURGICAL PROCEDURES 336,244

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 7,404 | Abdominoplasty | 24,280 |
| Ear Surgery | 6,454 | Buttock Augmentation | 5,029 |
| Eyelid Surgery | 44,592 | Buttock Lift | 1,928 |
| Facelift | 8,759 | Liposuction | 62,865 |
| Facial Bone Contouring | 1,509 | Lower Body Lift | 1,928 |
| Fat Grafting (face) | 15,032 | Thigh Lift | 3,283 |
| Neck Lift | 3,618 | Upper Arm Lift | 6,608 |
| Rhinoplasty | 14,166 | Labiaplasty | 6,789 |
| TOTAL FACE & HEAD | 101,534 | TOTAL BODY & EXTREMITIES | 112,710 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 66,972 |
| Breast Implant Removal | 5,895 |
| Breast Lift | 19,712 |
| Breast Reduction | 20,243 |
| Gynecomastia | 9,178 |
| TOTAL BREAST | 122,000 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 66,972 | 19.9% |
| Liposuction | 62,865 | 18.7% |
| Eyelid Surgery | 44,592 | 13.3% |
| Abdominoplasty | 24,280 | 7.2% |
| Breast Reduction | 20,243 | 6.0% |

TOTAL NONSURGICAL PROCEDURES 647,188

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|--------------|
| Botulinum Toxin | 379,984 | Chemical Peel | 3,772 |
| Calcium Hydroxylapatite | 2,864 | Full Field Ablative | 1,467 |
| Hyaluronic Acid | 236,778 | Micro-Ablative Resurfacing | 2,724 |
| Poly-L-Lactic Acid | 908 | Photo Rejuvenation | 1,062 |
| TOTAL INJECTABLES | 620,533 | TOTAL FACIAL REJUVENATION | 9,025 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 112 |
| Nonsurgical Fat Reduction | 17,518 |
| TOTAL OTHER | 17,630 |

| MOST COMMON PROCEDURES | | |
|---------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 379,984 | 58.7% |
| Hyaluronic Acid | 236,778 | 36.6% |
| Nonsurgical Fat Reduction | 17,518 | 2.7% |
| Chemical Peel | 3,772 | 0.6% |
| Calcium Hydroxylapatite | 2,864 | 0.4% |



TURKEY

TOTAL NUMBER OF PROCEDURES IN TURKEY 754,392

TOTAL SURGICAL PROCEDURES 351,930

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|---------------|
| Brow Lift | 6,003 | Abdominoplasty | 18,807 |
| Ear Surgery | 10,107 | Buttock Augmentation | 5,742 |
| Eyelid Surgery | 35,496 | Buttock Lift | 1,900 |
| Facelift | 11,296 | Liposuction | 41,847 |
| Facial Bone Contouring | 3,756 | Lower Body Lift | 3,045 |
| Fat Grafting (face) | 26,100 | Thigh Lift | 3,596 |
| Neck Lift | 7,047 | Upper Arm Lift | 5,351 |
| Rhinoplasty | 61,495 | Labiaplasty | 3,944 |
| TOTAL FACE & HEAD | 161,298 | TOTAL BODY & EXTREMITIES | 84,231 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 45,893 |
| Breast Implant Removal | 3,901 |
| Breast Lift | 22,055 |
| Breast Reduction | 24,955 |
| Gynecomastia | 9,599 |
| TOTAL BREAST | 106,401 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 45,893 | 13.0% |
| Liposuction | 41,847 | 11.9% |
| Eyelid Surgery | 35,496 | 10.1% |
| Fat Grafting (face) | 26,100 | 7.4% |
| Breast Reduction | 24,955 | 7.1% |

TOTAL NONSURGICAL PROCEDURES 402,462

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 199,506 | Chemical Peel | 2,103 |
| Calcium Hydroxylapatite | 2,857 | Full Field Ablative | 10,498 |
| Hyaluronic Acid | 140,795 | Micro-Ablative Resurfacing | 13,848 |
| Poly-L-Lactic Acid | 0 | Photo Rejuvenation | 4,655 |
| TOTAL INJECTABLES | 343,157 | TOTAL FACIAL REJUVENATION | 31,103 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 21,707 |
| Nonsurgical Fat Reduction | 6,496 |
| TOTAL OTHER | 28,203 |

| MOST COMMON PROCEDURES | | |
|----------------------------|---------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 199,506 | 49.6% |
| Hyaluronic Acid | 140,795 | 35.0% |
| Hair Removal | 21,707 | 5.4% |
| Micro-Ablative Resurfacing | 13,848 | 3.4% |
| Full Field Ablative | 10,498 | 2.6% |



FRANCE

TOTAL NUMBER OF
PROCEDURES IN FRANCE
744,081

TOTAL SURGICAL PROCEDURES 320,997


| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|---------------|
| Brow Lift | 4,231 | Abdominoplasty | 26,888 |
| Ear Surgery | 10,041 | Buttock Augmentation | 7,758 |
| Eyelid Surgery | 37,870 | Buttock Lift | 1,039 |
| Facelift | 16,933 | Liposuction | 38,671 |
| Facial Bone Contouring | 3,224 | Lower Body Lift | 2,986 |
| Fat Grafting (face) | 17,615 | Thigh Lift | 3,268 |
| Neck Lift | 9,716 | Upper Arm Lift | 6,308 |
| Rhinoplasty | 20,796 | Labiaplasty | 4,772 |
| TOTAL FACE & HEAD | 120,427 | TOTAL BODY & EXTREMITIES | 91,689 |

| BREAST | | MOST COMMON PROCEDURES | | |
|------------------------|----------------|------------------------|--------|------------|
| Breast Augmentation | 53,938 | | TOTAL | % OF TOTAL |
| Breast Implant Removal | 7,217 | Breast Augmentation | 53,938 | 16.8% |
| Breast Lift | 17,453 | Liposuction | 38,671 | 12.0% |
| Breast Reduction | 21,380 | Eyelid Surgery | 37,870 | 11.8% |
| Gynecomastia | 8,894 | Abdominoplasty | 26,888 | 8.3% |
| TOTAL BREAST | 108,882 | Breast Reduction | 21,380 | 6.6% |

TOTAL NONSURGICAL PROCEDURES 423,085

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 163,263 | Chemical Peel | 9,457 |
| Calcium Hydroxylapatite | 6,871 | Full Field Ablative | 682 |
| Hyaluronic Acid | 192,358 | Micro-Ablative Resurfacing | 1,645 |
| Poly-L-Lactic Acid | 985 | Photo Rejuvenation | 9,976 |
| TOTAL INJECTABLES | 363,476 | TOTAL FACIAL REJUVENATION | 21,759 |

| OTHER | | MOST COMMON PROCEDURES | | |
|---------------------------|---------------|---------------------------|---------|------------|
| Hair Removal | 25,265 | | TOTAL | % OF TOTAL |
| Nonsurgical Fat Reduction | 12,584 | Hyaluronic Acid | 192,358 | 45.5% |
| TOTAL OTHER | 37,848 | Botulinum Toxin | 163,263 | 38.6% |
| | | Hair Removal | 25,265 | 6.0% |
| | | Nonsurgical Fat Reduction | 12,584 | 3.0% |
| | | Chemical Peel | 9,457 | 2.2% |



INDIA

TOTAL NUMBER OF PROCEDURES IN INDIA

643,752

TOTAL SURGICAL PROCEDURES 394,728


| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 6,504 | Abdominoplasty | 29,088 |
| Ear Surgery | 21,648 | Buttock Augmentation | 8,904 |
| Eyelid Surgery | 36,528 | Buttock Lift | 2,280 |
| Facelift | 7,488 | Liposuction | 79,248 |
| Facial Bone Contouring | 9,888 | Lower Body Lift | 3,912 |
| Fat Grafting (face) | 28,152 | Thigh Lift | 2,640 |
| Neck Lift | 4,800 | Upper Arm Lift | 4,968 |
| Rhinoplasty | 48,936 | Labiaplasty | 6,024 |
| TOTAL FACE & HEAD | 163,944 | TOTAL BODY & EXTREMITIES | 137,064 |

| BREAST | | MOST COMMON PROCEDURES | | |
|------------------------|---------------|------------------------|--------|------------|
| Breast Augmentation | 36,480 | | TOTAL | % OF TOTAL |
| Breast Implant Removal | 2,160 | Liposuction | 79,248 | 20.1% |
| Breast Lift | 10,584 | Rhinoplasty | 48,936 | 12.4% |
| Breast Reduction | 18,384 | Eyelid Surgery | 36,528 | 9.3% |
| Gynecomastia | 26,112 | Breast Augmentation | 36,480 | 9.2% |
| TOTAL BREAST | 93,720 | Abdominoplasty | 29,088 | 7.4% |

TOTAL NONSURGICAL PROCEDURES 249,024

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 70,248 | Chemical Peel | 43,776 |
| Calcium Hydroxylapatite | 696 | Full Field Ablative | 15,984 |
| Hyaluronic Acid | 42,552 | Micro-Ablative Resurfacing | 11,232 |
| Poly-L-Lactic Acid | 120 | Photo Rejuvenation | 9,312 |
| TOTAL INJECTABLES | 113,616 | TOTAL FACIAL REJUVENATION | 80,304 |

| OTHER | | MOST COMMON PROCEDURES | | |
|---------------------------|---------------|------------------------|--------|------------|
| Hair Removal | 48,480 | | TOTAL | % OF TOTAL |
| Nonsurgical Fat Reduction | 6,624 | Botulinum Toxin | 70,248 | 28.2% |
| TOTAL OTHER | 55,104 | Hair Removal | 48,480 | 19.5% |
| | | Chemical Peel | 43,776 | 17.6% |
| | | Hyaluronic Acid | 42,552 | 17.1% |
| | | Full Field Ablative | 15,984 | 6.4% |



TOTAL NUMBER OF PROCEDURES IN RUSSIA
576,886

TOTAL SURGICAL PROCEDURES 483,152

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|----------------|-------------------------------------|----------------|
| Brow Lift | 19,443 | Abdominoplasty | 29,409 |
| Ear Surgery | 13,354 | Buttock Augmentation | 10,944 |
| Eyelid Surgery | 70,432 | Buttock Lift | 2,537 |
| Facelift | 33,468 | Liposuction | 64,815 |
| Facial Bone Contouring | 8,281 | Lower Body Lift | 1,758 |
| Fat Grafting (face) | 32,127 | Thigh Lift | 2,954 |
| Neck Lift | 17,758 | Upper Arm Lift | 3,135 |
| Rhinoplasty | 40,281 | Labiaplasty | 7,737 |
| TOTAL FACE & HEAD | 235,143 | TOTAL BODY & EXTREMITIES | 123,288 |

| BREAST | |
|------------------------|----------------|
| Breast Augmentation | 67,896 |
| Breast Implant Removal | 6,940 |
| Breast Lift | 28,448 |
| Breast Reduction | 17,576 |
| Gynecomastia | 3,860 |
| TOTAL BREAST | 124,720 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Eyelid Surgery | 70,432 | 14.6% |
| Breast Augmentation | 67,896 | 14.1% |
| Liposuction | 64,815 | 13.4% |
| Rhinoplasty | 40,281 | 8.3% |
| Facelift | 33,468 | 6.9% |

TOTAL NONSURGICAL PROCEDURES 93,736

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|---------------|----------------------------------|--------------|
| Botulinum Toxin | 46,931 | Chemical Peel | 181 |
| Calcium Hydroxylapatite | 960 | Full Field Ablative | 6,161 |
| Hyaluronic Acid | 36,602 | Micro-Ablative Resurfacing | 1,812 |
| Poly-L-Lactic Acid | 960 | Photo Rejuvenation | 127 |
| TOTAL INJECTABLES | 85,454 | TOTAL FACIAL REJUVENATION | 8,281 |

| OTHER | |
|---------------------------|----------|
| Hair Removal | 0 |
| Nonsurgical Fat Reduction | 0 |
| TOTAL OTHER | 0 |

| MOST COMMON PROCEDURES | | |
|----------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 46,931 | 50.1% |
| Hyaluronic Acid | 36,602 | 39.0% |
| Full Field Ablative | 6,161 | 6.6% |
| Micro-Ablative Resurfacing | 1,812 | 1.9% |
| Poly-L-Lactic Acid | 960 | 1.0% |



ARGENTINA

TOTAL NUMBER OF PROCEDURES IN ARGENTINIA 425,821

TOTAL SURGICAL PROCEDURES 193,237

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 4,202 | Abdominoplasty | 16,335 |
| Ear Surgery | 7,172 | Buttock Augmentation | 7,029 |
| Eyelid Surgery | 20,900 | Buttock Lift | 264 |
| Facelift | 7,271 | Liposuction | 22,462 |
| Facial Bone Contouring | 1,265 | Lower Body Lift | 1,463 |
| Fat Grafting (face) | 7,436 | Thigh Lift | 2,167 |
| Neck Lift | 6,435 | Upper Arm Lift | 2,167 |
| Rhinoplasty | 22,000 | Labiaplasty | 2,398 |
| TOTAL FACE & HEAD | 76,681 | TOTAL BODY & EXTREMITIES | 54,285 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 33,275 |
| Breast Implant Removal | 4,565 |
| Breast Lift | 9,097 |
| Breast Reduction | 10,164 |
| Gynecomastia | 5,170 |
| TOTAL BREAST | 62,271 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 33,275 | 17.2% |
| Liposuction | 22,462 | 11.6% |
| Rhinoplasty | 22,000 | 11.4% |
| Eyelid Surgery | 20,900 | 10.8% |
| Abdominoplasty | 16,335 | 8.5% |

TOTAL NONSURGICAL PROCEDURES 232,584

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 76,802 | Chemical Peel | 3,201 |
| Calcium Hydroxylapatite | 3,971 | Full Field Ablative | 3,234 |
| Hyaluronic Acid | 61,831 | Micro-Ablative Resurfacing | 3,234 |
| Poly-L-Lactic Acid | 132 | Photo Rejuvenation | 21,736 |
| TOTAL INJECTABLES | 142,736 | TOTAL FACIAL REJUVENATION | 31,405 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 50,171 |
| Nonsurgical Fat Reduction | 8,272 |
| TOTAL OTHER | 58,443 |

| MOST COMMON PROCEDURES | | |
|---------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 76,802 | 33.0% |
| Hyaluronic Acid | 61,831 | 26.6% |
| Hair Removal | 50,171 | 21.6% |
| Photo Rejuvenation | 21,736 | 9.3% |
| Nonsurgical Fat Reduction | 8,272 | 3.6% |



COLOMBIA

TOTAL NUMBER OF PROCEDURES IN COLOMBIA 413,512

TOTAL SURGICAL PROCEDURES 267,641

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 6,803 | Abdominoplasty | 21,628 |
| Ear Surgery | 8,396 | Buttock Augmentation | 24,837 |
| Eyelid Surgery | 26,634 | Buttock Lift | 1,435 |
| Facelift | 6,181 | Liposuction | 39,042 |
| Facial Bone Contouring | 2,170 | Lower Body Lift | 1,729 |
| Fat Grafting (face) | 11,571 | Thigh Lift | 1,955 |
| Neck Lift | 4,769 | Upper Arm Lift | 3,989 |
| Rhinoplasty | 21,007 | Labioplasty | 3,435 |
| TOTAL FACE & HEAD | 87,530 | TOTAL BODY & EXTREMITIES | 98,050 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 39,720 |
| Breast Implant Removal | 5,469 |
| Breast Lift | 17,594 |
| Breast Reduction | 13,933 |
| Gynecomastia | 5,345 |
| TOTAL BREAST | 82,061 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 39,720 | 14.8% |
| Liposuction | 39,042 | 14.6% |
| Eyelid Surgery | 26,634 | 10.0% |
| Buttock Augmentation | 24,837 | 9.3% |
| Abdominoplasty | 21,628 | 8.1% |

TOTAL NONSURGICAL PROCEDURES 145,872

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|--------------|
| Botulinum Toxin | 71,744 | Chemical Peel | 848 |
| Calcium Hydroxylapatite | 1,175 | Full Field Ablative | 848 |
| Hyaluronic Acid | 54,172 | Micro-Ablative Resurfacing | 644 |
| Poly-L-Lactic Acid | 305 | Photo Rejuvenation | 712 |
| TOTAL INJECTABLES | 127,396 | TOTAL FACIAL REJUVENATION | 3,051 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 12,340 |
| Nonsurgical Fat Reduction | 3,085 |
| TOTAL OTHER | 15,425 |

| MOST COMMON PROCEDURES | | |
|---------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 71,744 | 49.2% |
| Hyaluronic Acid | 54,172 | 37.1% |
| Hair Removal | 12,340 | 8.5% |
| Nonsurgical Fat Reduction | 3,085 | 2.1% |
| Calcium Hydroxylapatite | 1,175 | 0.8% |



TOTAL NUMBER OF PROCEDURES IN SPAIN
381,364

TOTAL SURGICAL PROCEDURES 221,935

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 4,237 | Abdominoplasty | 13,722 |
| Ear Surgery | 8,321 | Buttock Augmentation | 5,330 |
| Eyelid Surgery | 26,097 | Buttock Lift | 265 |
| Facelift | 5,217 | Liposuction | 27,567 |
| Facial Bone Contouring | 1,133 | Lower Body Lift | 868 |
| Fat Grafting (face) | 11,915 | Thigh Lift | 1,848 |
| Neck Lift | 5,330 | Upper Arm Lift | 2,644 |
| Rhinoplasty | 13,232 | Labiaplasty | 5,524 |
| TOTAL FACE & HEAD | 75,483 | TOTAL BODY & EXTREMITIES | 57,768 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 48,559 |
| Breast Implant Removal | 5,524 |
| Breast Lift | 18,419 |
| Breast Reduction | 11,190 |
| Gynecomastia | 4,993 |
| TOTAL BREAST | 88,684 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 48,559 | 21.9% |
| Liposuction | 27,567 | 12.4% |
| Eyelid Surgery | 26,097 | 11.8% |
| Breast Lift | 18,419 | 8.3% |
| Abdominoplasty | 13,722 | 6.2% |

TOTAL NONSURGICAL PROCEDURES 159,429

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 58,044 | Chemical Peel | 5,217 |
| Calcium Hydroxylapatite | 10,475 | Full Field Ablative | 2,154 |
| Hyaluronic Acid | 56,533 | Micro-Ablative Resurfacing | 1,246 |
| Poly-L-Lactic Acid | 306 | Photo Rejuvenation | 6,698 |
| TOTAL INJECTABLES | 125,358 | TOTAL FACIAL REJUVENATION | 15,315 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 15,162 |
| Nonsurgical Fat Reduction | 3,594 |
| TOTAL OTHER | 18,756 |

| MOST COMMON PROCEDURES | | |
|-------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 58,044 | 36.4% |
| Hyaluronic Acid | 56,533 | 35.5% |
| Hair Removal | 15,162 | 9.5% |
| Calcium Hydroxylapatite | 10,475 | 6.6% |
| Photo Rejuvenation | 6,698 | 4.2% |



GREECE

TOTAL NUMBER OF PROCEDURES IN GREECE 374,471

TOTAL SURGICAL PROCEDURES 83,391

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 635 | Abdominoplasty | 4,336 |
| Ear Surgery | 3,447 | Buttock Augmentation | 1,410 |
| Eyelid Surgery | 11,598 | Buttock Lift | 380 |
| Facelift | 2,998 | Liposuction | 14,736 |
| Facial Bone Contouring | 479 | Lower Body Lift | 802 |
| Fat Grafting (face) | 5,377 | Thigh Lift | 1,406 |
| Neck Lift | 2,014 | Upper Arm Lift | 1,547 |
| Rhinoplasty | 7,486 | Labioplasty | 1,212 |
| TOTAL FACE & HEAD | 34,033 | TOTAL BODY & EXTREMITIES | 25,829 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 12,301 |
| Breast Implant Removal | 1,125 |
| Breast Lift | 4,066 |
| Breast Reduction | 3,154 |
| Gynecomastia | 2,884 |
| TOTAL BREAST | 23,530 |

| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Liposuction | 14,736 | 17.7% |
| Breast Augmentation | 12,301 | 14.8% |
| Eyelid Surgery | 11,598 | 13.9% |
| Rhinoplasty | 7,486 | 9.0% |
| Fat Grafting (face) | 5,377 | 6.4% |


TOTAL NONSURGICAL PROCEDURES 291,080

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|----------------|----------------------------------|---------------|
| Botulinum Toxin | 91,804 | Chemical Peel | 7,600 |
| Calcium Hydroxylapatite | 464 | Full Field Ablative | 6,867 |
| Hyaluronic Acid | 69,373 | Micro-Ablative Resurfacing | 8,516 |
| Poly-L-Lactic Acid | 859 | Photo Rejuvenation | 7,684 |
| TOTAL INJECTABLES | 162,499 | TOTAL FACIAL REJUVENATION | 30,666 |

| OTHER | |
|---------------------------|---------------|
| Hair Removal | 77,379 |
| Nonsurgical Fat Reduction | 20,535 |
| TOTAL OTHER | 97,915 |

| MOST COMMON PROCEDURES | | |
|----------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 91,804 | 31.5% |
| Hair Removal | 77,379 | 26.6% |
| Hyaluronic Acid | 69,373 | 23.8% |
| Nonsurgical Fat Reduction | 20,535 | 7.1% |
| Micro-Ablative Resurfacing | 8,516 | 2.9% |

UNITED KINGDOM



UNITED KINGDOM

TOTAL NUMBER OF PROCEDURES IN UNITED KINGDOM
222,831

TOTAL SURGICAL PROCEDURES 169,768

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 1,777 | Abdominoplasty | 15,380 |
| Ear Surgery | 5,277 | Buttock Augmentation | 592 |
| Eyelid Surgery | 17,264 | Buttock Lift | 431 |
| Facelift | 7,377 | Liposuction | 17,426 |
| Facial Bone Contouring | 215 | Lower Body Lift | 1,023 |
| Fat Grafting (face) | 3,285 | Thigh Lift | 1,486 |
| Neck Lift | 3,640 | Upper Arm Lift | 2,800 |
| Rhinoplasty | 11,987 | Labiaplasty | 3,877 |
| TOTAL FACE & HEAD | 50,824 | TOTAL BODY & EXTREMITIES | 43,015 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 36,930 |
| Breast Implant Removal | 6,031 |
| Breast Lift | 14,087 |
| Breast Reduction | 14,378 |
| Gynecomastia | 4,502 |
| TOTAL BREAST | 75,929 |


| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Breast Augmentation | 36,930 | 21.8% |
| Liposuction | 17,426 | 10.3% |
| Eyelid Surgery | 17,264 | 10.0% |
| Abdominoplasty | 15,380 | 9.1% |
| Breast Reduction | 14,378 | 8.5% |

TOTAL NONSURGICAL PROCEDURES 53,064

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|---------------|----------------------------------|--------------|
| Botulinum Toxin | 32,525 | Chemical Peel | 679 |
| Calcium Hydroxylapatite | 463 | Full Field Ablative | 517 |
| Hyaluronic Acid | 18,309 | Micro-Ablative Resurfacing | 0 |
| Poly-L-Lactic Acid | 108 | Photo Rejuvenation | 0 |
| TOTAL INJECTABLES | 51,405 | TOTAL FACIAL REJUVENATION | 1,195 |

| OTHER | |
|---------------------------|------------|
| Hair Removal | 54 |
| Nonsurgical Fat Reduction | 409 |
| TOTAL OTHER | 463 |

| MOST COMMON PROCEDURES | | |
|-------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 32,525 | 61.3% |
| Hyaluronic Acid | 18,309 | 34.5% |
| Chemical Peel | 679 | 1.3% |
| Full Field Ablative | 517 | 1.0% |
| Calcium Hydroxylapatite | 463 | 0.9% |



THAILAND

TOTAL NUMBER OF PROCEDURES IN THAILAND 123,228

TOTAL SURGICAL PROCEDURES 92,597

| FACE & HEAD | | BODY & EXTREMITIES | |
|------------------------------|---------------|-------------------------------------|---------------|
| Brow Lift | 3,641 | Abdominoplasty | 3,499 |
| Ear Surgery | 1,693 | Buttock Augmentation | 1,361 |
| Eyelid Surgery | 20,286 | Buttock Lift | 407 |
| Facelift | 4,229 | Liposuction | 7,169 |
| Facial Bone Contouring | 1,987 | Lower Body Lift | 601 |
| Fat Grafting (face) | 5,670 | Thigh Lift | 617 |
| Neck Lift | 2,869 | Upper Arm Lift | 811 |
| Rhinoplasty | 14,309 | Labiaplasty | 979 |
| TOTAL FACE & HEAD | 54,684 | TOTAL BODY & EXTREMITIES | 15,443 |

| BREAST | |
|------------------------|---------------|
| Breast Augmentation | 12,558 |
| Breast Implant Removal | 1,554 |
| Breast Lift | 3,738 |
| Breast Reduction | 3,163 |
| Gynecomastia | 1,457 |
| TOTAL BREAST | 22,470 |

| MOST COMMON PROCEDURES | | |
|------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Eyelid Surgery | 20,286 | 21.9% |
| Rhinoplasty | 14,309 | 15.5% |
| Breast Augmentation | 12,558 | 13.6% |
| Liposuction | 7,169 | 7.7% |
| Fat Grafting (face) | 5,670 | 6.1% |

TOTAL NONSURGICAL PROCEDURES 30,631

| INJECTABLES | | FACIAL REJUVENATION | |
|--------------------------|---------------|----------------------------------|--------------|
| Botulinum Toxin | 23,323 | Chemical Peel | 281 |
| Calcium Hydroxylapatite | 0 | Full Field Ablative | 139 |
| Hyaluronic Acid | 4,733 | Micro-Ablative Resurfacing | 420 |
| Poly-L-Lactic Acid | 0 | Photo Rejuvenation | 1,063 |
| TOTAL INJECTABLES | 28,056 | TOTAL FACIAL REJUVENATION | 1,903 |

| OTHER | |
|---------------------------|------------|
| Hair Removal | 517 |
| Nonsurgical Fat Reduction | 155 |
| TOTAL OTHER | 672 |

| MOST COMMON PROCEDURES | | |
|----------------------------|--------|------------|
| | TOTAL | % OF TOTAL |
| Botulinum Toxin | 23,323 | 76.1% |
| Hyaluronic Acid | 4,733 | 15.5% |
| Photo Rejuvenation | 1,063 | 3.5% |
| Hair Removal | 517 | 1.7% |
| Micro-Ablative Resurfacing | 420 | 1.4% |



SURGICAL PROCEDURES BY COUNTRY

| SURGICAL PROCEDURES | WORLD-WIDE | USA | BRAZIL | JAPAN | MEXICO | ITALY | GERMANY | TURKEY | FRANCE | INDIA | RUSSIA | ARGENTINA | COLOMBIA | SPAIN | GREECE | UNITED KINGDOM | THAILAND |
|-------------------------------------|-------------------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|----------------|---------------|
| FACE & HEAD | | | | | | | | | | | | | | | | | |
| Brow Lift | 270,917 | 24,219 | 40,214 | 200 | 17,034 | 9,132 | 7,404 | 6,003 | 4,231 | 6,504 | 19,443 | 4,202 | 6,803 | 4,237 | 635 | 1,777 | 3,641 |
| Ear Surgery | 288,905 | 12,351 | 31,798 | 326 | 13,615 | 10,467 | 6,454 | 10,107 | 10,041 | 21,648 | 13,354 | 7,172 | 8,396 | 8,321 | 3,447 | 5,277 | 1,693 |
| Eyelid Surgery | 1,259,839 | 113,988 | 145,346 | 150,589 | 63,147 | 40,449 | 44,592 | 35,496 | 37,870 | 36,528 | 70,432 | 20,900 | 26,634 | 26,097 | 11,598 | 17,264 | 20,286 |
| Facelift | 448,485 | 65,688 | 59,870 | 37,317 | 20,688 | 8,020 | 8,759 | 11,296 | 16,933 | 7,488 | 33,468 | 7,271 | 6,181 | 5,217 | 2,998 | 7,377 | 4,229 |
| Facial Bone Contouring | 108,536 | 6,624 | 10,399 | 997 | 10,790 | 3,294 | 1,509 | 3,756 | 3,224 | 9,888 | 8,281 | 1,265 | 2,170 | 1,133 | 479 | 215 | 1,987 |
| Fat Grafting-face | 598,823 | 49,473 | 61,072 | 12,875 | 37,446 | 26,869 | 15,032 | 26,100 | 17,615 | 28,152 | 32,127 | 7,436 | 11,571 | 11,915 | 5,377 | 3,285 | 5,670 |
| Neck Lift | 260,747 | 31,326 | 30,416 | 166 | 15,505 | 6,491 | 3,618 | 7,047 | 9,716 | 4,800 | 17,758 | 6,435 | 4,769 | 5,330 | 2,014 | 3,640 | 2,869 |
| Rhinoplasty | 821,890 | 39,330 | 72,433 | 28,987 | 47,748 | 27,522 | 14,166 | 61,495 | 20,796 | 48,936 | 40,281 | 22,000 | 21,007 | 13,232 | 7,486 | 11,987 | 14,309 |
| Total Face & Head | 4,058,143 | 342,999 | 451,546 | 231,457 | 225,972 | 132,245 | 101,534 | 161,298 | 120,427 | 163,944 | 235,143 | 76,681 | 87,530 | 75,483 | 34,033 | 50,824 | 54,684 |
| BREAST | | | | | | | | | | | | | | | | | |
| Breast Augmentation | 1,795,551 | 269,514 | 211,287 | 5,633 | 74,637 | 56,073 | 66,972 | 45,893 | 53,938 | 36,480 | 67,896 | 33,275 | 39,720 | 48,559 | 12,301 | 36,930 | 12,558 |
| Breast Implant Removal | 229,680 | 47,679 | 19,355 | 618 | 10,068 | 8,521 | 5,895 | 3,901 | 7,217 | 2,160 | 6,940 | 4,565 | 5,469 | 5,524 | 1,125 | 6,031 | 1,554 |
| Breast Lift | 741,284 | 121,302 | 114,389 | 65 | 28,058 | 20,475 | 19,712 | 22,055 | 17,453 | 10,584 | 28,448 | 9,097 | 17,594 | 18,419 | 4,066 | 14,087 | 3,738 |
| Breast Reduction | 600,219 | 78,936 | 87,640 | 63 | 19,392 | 15,943 | 20,243 | 24,955 | 21,380 | 18,384 | 17,576 | 10,164 | 13,933 | 11,190 | 3,154 | 14,378 | 3,163 |
| Gynecomastia | 273,344 | 23,736 | 32,099 | 84 | 11,640 | 6,158 | 9,178 | 9,599 | 8,894 | 26,112 | 3,860 | 5,170 | 5,345 | 4,993 | 2,884 | 4,502 | 1,457 |
| Total Breast | 3,640,079 | 541,167 | 464,771 | 6,463 | 143,795 | 107,169 | 122,000 | 106,401 | 108,882 | 93,720 | 124,720 | 62,271 | 82,061 | 88,684 | 23,530 | 75,929 | 22,470 |
| BODY & EXTREMITIES | | | | | | | | | | | | | | | | | |
| Abdominoplasty | 924,031 | 131,652 | 154,663 | 39 | 45,220 | 19,599 | 24,280 | 18,807 | 26,888 | 29,088 | 29,409 | 16,335 | 21,628 | 13,722 | 4,336 | 15,380 | 3,499 |
| Buttock Augmentation | 479,451 | 37,329 | 115,531 | 24 | 52,909 | 4,490 | 5,029 | 5,742 | 7,758 | 8,904 | 10,944 | 7,029 | 24,837 | 5,330 | 1,410 | 592 | 1,361 |
| Buttock Lift | 54,894 | 7,452 | 5,650 | 1 | 5,268 | 653 | 1,928 | 1,900 | 1,039 | 2,280 | 2,537 | 264 | 1,435 | 265 | 380 | 431 | 407 |
| Liposuction | 1,704,786 | 242,259 | 231,604 | 8,259 | 82,347 | 39,476 | 62,865 | 41,847 | 38,671 | 79,248 | 64,815 | 22,462 | 39,042 | 27,567 | 14,736 | 17,426 | 7,169 |
| Lower Body Lift | 75,895 | 7,797 | 9,678 | 62 | 4,821 | 1,154 | 1,928 | 3,045 | 2,986 | 3,912 | 1,758 | 1,463 | 1,729 | 868 | 802 | 1,023 | 601 |
| Thigh Lift | 93,334 | 9,522 | 10,459 | 11 | 4,779 | 1,904 | 3,283 | 3,596 | 3,268 | 2,640 | 2,954 | 2,167 | 1,955 | 1,848 | 1,406 | 1,486 | 617 |
| Upper Arm Lift | 168,289 | 19,734 | 19,416 | 4 | 10,238 | 4,587 | 6,608 | 5,351 | 6,308 | 4,968 | 3,135 | 2,167 | 3,989 | 2,644 | 1,547 | 2,800 | 811 |
| Labiaplasty | 164,667 | 12,006 | 30,356 | 3,223 | 5,310 | 3,155 | 6,789 | 3,944 | 4,772 | 6,024 | 7,737 | 2,398 | 3,435 | 5,524 | 1,212 | 3,877 | 979 |
| Total Body & Extremities | 3,665,347 | 467,751 | 577,357 | 11,623 | 210,892 | 75,018 | 112,710 | 84,231 | 91,689 | 137,064 | 123,288 | 54,285 | 98,050 | 57,768 | 25,829 | 43,015 | 15,443 |
| Total Surgical Procedures | 11,363,569 | 1,351,917 | 1,493,673 | 249,543 | 580,659 | 314,432 | 336,244 | 351,930 | 320,997 | 394,728 | 483,152 | 193,237 | 267,641 | 221,935 | 83,391 | 169,768 | 92,597 |



NONSURGICAL PROCEDURES BY COUNTRY

| NONSURGICAL PROCEDURES | WORLD-WIDE | USA | BRAZIL | JAPAN | MEXICO | ITALY | GERMANY | TURKEY | FRANCE | INDIA | RUSSIA | ARGENTINA | COLOMBIA | SPAIN | GREECE | UNITED KINGDOM | THAILAND |
|---|-------------------|------------------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|
| INJECTABLES | | | | | | | | | | | | | | | | | |
| Botulinum Toxin | 6,271,488 | 1,301,823 | 507,869 | 337,579 | 287,420 | 315,071 | 379,984 | 199,506 | 163,263 | 70,248 | 46,931 | 76,802 | 71,744 | 58,044 | 91,804 | 32,525 | 23,323 |
| Calcium Hydroxylapatite | 212,762 | 37,881 | 29,694 | 962 | 14,762 | 17,973 | 2,864 | 2,857 | 6,871 | 696 | 960 | 3,971 | 1,175 | 10,475 | 464 | 463 | 0 |
| Hyaluronic Acid | 4,315,859 | 679,167 | 398,830 | 126,921 | 170,515 | 303,812 | 236,778 | 140,795 | 192,358 | 42,552 | 36,602 | 61,831 | 54,172 | 56,533 | 69,373 | 18,309 | 4,733 |
| Poly-L-Lactic Acid | 90,259 | 27,117 | 20,738 | 17 | 3,059 | 3,989 | 908 | 0 | 985 | 120 | 960 | 132 | 305 | 306 | 859 | 108 | 0 |
| Total Injectables Procedures | 10,890,368 | 2,045,988 | 957,132 | 465,479 | 475,755 | 640,846 | 620,533 | 343,157 | 363,476 | 113,616 | 85,454 | 142,736 | 127,396 | 125,358 | 162,499 | 51,405 | 28,056 |
| FACIAL REJUVENATION | | | | | | | | | | | | | | | | | |
| Chemical Peel | 369,497 | 73,347 | 34,804 | 130,460 | 14,783 | 25,618 | 3,772 | 2,103 | 9,457 | 43,776 | 181 | 3,201 | 848 | 5,217 | 7,600 | 679 | 281 |
| Full Field Ablative | 190,978 | 30,360 | 15,088 | 1,718 | 10,047 | 9,216 | 1,467 | 10,498 | 682 | 15,984 | 6,161 | 3,234 | 848 | 2,154 | 6,867 | 517 | 139 |
| Micro-Ablative Resurfacing | 270,759 | 69,621 | 12,503 | 37,327 | 9,962 | 26,827 | 2,724 | 13,848 | 1,645 | 11,232 | 1,812 | 3,234 | 644 | 1,246 | 8,516 | 0 | 420 |
| Photo Rejuvenation | 391,415 | 102,741 | 24,044 | 54,537 | 23,789 | 18,028 | 1,062 | 4,655 | 9,976 | 9,312 | 127 | 21,736 | 712 | 6,698 | 7,684 | 0 | 1,063 |
| Total Facial Rejuvenation Procedures | 1,222,648 | 276,069 | 86,438 | 224,042 | 58,580 | 79,689 | 9,025 | 31,103 | 21,759 | 80,304 | 8,281 | 31,405 | 3,051 | 15,315 | 30,666 | 1,195 | 1,903 |
| OTHER | | | | | | | | | | | | | | | | | |
| Hair Removal | 1,042,951 | 182,160 | 17,552 | 453,338 | 51,528 | 30,483 | 112 | 21,707 | 25,265 | 48,480 | 0 | 50,171 | 12,340 | 15,162 | 77,379 | 54 | 517 |
| Nonsurgical Fat Reduction | 462,769 | 126,615 | 10,880 | 80,819 | 33,942 | 23,255 | 17,518 | 6,496 | 12,584 | 6,624 | 0 | 8,272 | 3,085 | 3,594 | 20,535 | 409 | 155 |
| Total Other Procedures | 1,505,719 | 308,775 | 28,432 | 534,157 | 85,470 | 53,737 | 17,630 | 28,203 | 37,848 | 55,104 | 0 | 58,443 | 15,425 | 18,756 | 97,915 | 463 | 672 |
| Total Nonsurgical Procedures | 13,618,735 | 2,630,832 | 1,072,002 | 1,223,678 | 619,804 | 774,272 | 647,188 | 402,462 | 423,084 | 249,024 | 93,735 | 232,584 | 145,872 | 159,429 | 291,080 | 53,064 | 30,631 |

| | WORLD-WIDE | USA | BRAZIL | JAPAN | MEXICO | ITALY | GERMANY | TURKEY | FRANCE | INDIA | RUSSIA | ARGENTINA | COLOMBIA | SPAIN | GREECE | UNITED KINGDOM | THAILAND |
|-------------------------|-------------------|------------------|------------------|------------------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Total Procedures | 24,982,304 | 3,982,749 | 2,565,675 | 1,473,221 | 1,200,464 | 1,088,704 | 983,432 | 754,392 | 744,081 | 643,752 | 576,886 | 425,821 | 413,512 | 381,364 | 374,471 | 222,831 | 123,228 |



COUNTRIES PERFORMING THE MOST POPULAR SURGICAL PROCEDURES



BREAST AUGMENTATION

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|----------|----------------------|---------------------|
| 1 | USA | 269,514 | 15.0% |
| 2 | Brazil | 211,287 | 11.8% |
| 3 | Mexico | 74,637 | 4.2% |
| 4 | Russia | 67,896 | 3.8% |
| 5 | Germany | 66,972 | 3.7% |
| 6 | Italy | 56,073 | 3.1% |
| 7 | France | 53,938 | 3.0% |
| 8 | Spain | 48,559 | 2.7% |
| 9 | Turkey | 45,893 | 2.6% |
| 10 | Colombia | 39,720 | 2.2% |



EYELID SURGERY

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|---------|----------------------|---------------------|
| 1 | Japan | 150,589 | 12.0% |
| 2 | Brazil | 145,346 | 11.5% |
| 3 | USA | 113,988 | 9.0% |
| 4 | Russia | 70,432 | 5.6% |
| 5 | Mexico | 63,147 | 5.0% |
| 6 | Germany | 44,592 | 3.5% |
| 7 | Italy | 40,449 | 3.2% |
| 8 | France | 37,870 | 3.0% |
| 9 | India | 36,528 | 2.9% |
| 10 | Turkey | 35,496 | 2.8% |



RHINOPLASTY

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | Brazil | 72,433 | 8.8% |
| 2 | Turkey | 61,495 | 7.5% |
| 3 | India | 48,936 | 6.0% |
| 4 | Mexico | 47,748 | 5.8% |
| 5 | Russia | 40,281 | 4.9% |
| 6 | USA | 39,330 | 4.8% |
| 7 | Japan | 28,987 | 3.5% |
| 8 | Italy | 27,522 | 3.3% |
| 9 | Argentina | 22,000 | 2.7% |
| 10 | Colombia | 21,007 | 2.6% |



LIPOSUCTION

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|----------|----------------------|---------------------|
| 1 | USA | 242,259 | 14.2% |
| 2 | Brazil | 231,604 | 13.6% |
| 3 | Mexico | 82,347 | 4.8% |
| 4 | India | 79,248 | 4.6% |
| 5 | Russia | 64,815 | 3.8% |
| 6 | Germany | 62,865 | 3.7% |
| 7 | Turkey | 41,847 | 2.5% |
| 8 | Italy | 39,476 | 2.3% |
| 9 | Colombia | 39,042 | 2.3% |
| 10 | France | 38,671 | 2.3% |



ABDOMINOPLASTY

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|----------|----------------------|---------------------|
| 1 | Brazil | 154,663 | 16.7% |
| 2 | USA | 131,652 | 14.2% |
| 3 | Mexico | 45,220 | 4.9% |
| 4 | Russia | 29,409 | 3.2% |
| 5 | India | 29,088 | 3.1% |
| 6 | France | 26,888 | 2.9% |
| 7 | Germany | 24,280 | 2.6% |
| 8 | Colombia | 21,628 | 2.3% |
| 9 | Italy | 19,599 | 2.1% |
| 10 | Turkey | 18,807 | 2.0% |

*Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.



COUNTRIES PERFORMING THE MOST POPULAR NONSURGICAL PROCEDURES



BOTULINUM TOXIN

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | USA | 1,301,823 | 20.8% |
| 2 | Brazil | 507,869 | 8.1% |
| 3 | Germany | 379,984 | 6.1% |
| 4 | Japan | 337,579 | 5.4% |
| 5 | Italy | 315,071 | 5.0% |
| 6 | Mexico | 287,420 | 4.6% |
| 7 | Turkey | 199,506 | 3.2% |
| 8 | France | 163,263 | 2.6% |
| 9 | Greece | 91,804 | 1.5% |
| 10 | Argentina | 76,802 | 1.2% |



HAIR REMOVAL

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | Japan | 453,338 | 43.5% |
| 2 | USA | 182,160 | 17.5% |
| 3 | Greece | 77,379 | 7.4% |
| 4 | Mexico | 51,528 | 4.9% |
| 5 | Argentina | 50,171 | 4.8% |
| 6 | India | 48,480 | 4.6% |
| 7 | Italy | 30,483 | 2.9% |
| 8 | France | 25,265 | 2.4% |
| 9 | Turkey | 21,707 | 2.1% |
| 10 | Brazil | 17,552 | 1.7% |



PHOTO REJUVENATION

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | USA | 102,741 | 26.2% |
| 2 | Japan | 54,537 | 13.9% |
| 3 | Brazil | 24,044 | 6.1% |
| 4 | Mexico | 23,789 | 6.1% |
| 5 | Argentina | 21,736 | 5.6% |
| 6 | Italy | 18,028 | 4.6% |
| 7 | France | 9,976 | 2.5% |
| 8 | India | 9,312 | 2.4% |
| 9 | Greece | 7,684 | 2.0% |
| 10 | Spain | 6,698 | 1.7% |



HYALURONIC ACID

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | USA | 679,167 | 15.7% |
| 2 | Brazil | 398,830 | 9.2% |
| 3 | Italy | 303,812 | 7.0% |
| 4 | Germany | 236,778 | 5.5% |
| 5 | France | 192,358 | 4.5% |
| 6 | Mexico | 170,515 | 4.0% |
| 7 | Turkey | 140,795 | 3.3% |
| 8 | Japan | 126,921 | 2.9% |
| 9 | Greece | 69,373 | 1.6% |
| 10 | Argentina | 61,831 | 1.4% |



NONSURGICAL FAT REDUCTION

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|-----------|----------------------|---------------------|
| 1 | USA | 126,615 | 27.4% |
| 2 | Japan | 80,819 | 17.5% |
| 3 | Mexico | 33,942 | 7.3% |
| 4 | Italy | 23,255 | 5.0% |
| 5 | Greece | 20,535 | 4.4% |
| 6 | Germany | 17,518 | 3.8% |
| 7 | France | 12,584 | 2.7% |
| 8 | Brazil | 10,880 | 2.4% |
| 9 | Argentina | 8,272 | 1.8% |
| 10 | India | 6,624 | 1.4% |

*Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.



SURGICAL TOTALS RANKED BY CATEGORY

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | FACE & HEAD |
|--------|---------|----------------------|---------------------|-------------|
| 1 | Brazil | 451,546 | 11.1% | |
| 2 | USA | 342,999 | 8.5% | |
| 3 | Russia | 235,143 | 5.8% | |
| 4 | Japan | 231,457 | 5.7% | |
| 5 | Mexico | 225,972 | 5.6% | |
| 6 | India | 163,944 | 4.0% | |
| 7 | Turkey | 161,298 | 4.0% | |
| 8 | Italy | 132,245 | 3.3% | |
| 9 | France | 120,427 | 3.0% | |
| 10 | Germany | 101,534 | 2.5% | |

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | BODY & EXTREMITIES |
|--------|----------|----------------------|---------------------|--------------------|
| 1 | Brazil | 577,357 | 15.8% | |
| 2 | USA | 467,751 | 12.8% | |
| 3 | Mexico | 210,892 | 5.8% | |
| 4 | India | 137,064 | 3.7% | |
| 5 | Russia | 123,288 | 3.4% | |
| 6 | Germany | 112,710 | 3.1% | |
| 7 | Colombia | 98,050 | 2.7% | |
| 8 | France | 91,689 | 2.5% | |
| 9 | Turkey | 84,231 | 2.3% | |
| 10 | Italy | 75,018 | 2.0% | |

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | BREAST |
|--------|---------|----------------------|---------------------|--------|
| 1 | USA | 541,167 | 14.9% | |
| 2 | Brazil | 464,771 | 12.8% | |
| 3 | Mexico | 143,795 | 4.0% | |
| 4 | Russia | 124,720 | 3.4% | |
| 5 | Germany | 122,000 | 3.4% | |
| 6 | France | 108,882 | 3.0% | |
| 7 | Italy | 107,169 | 2.9% | |
| 8 | Turkey | 106,401 | 2.9% | |
| 9 | India | 93,720 | 2.6% | |
| 10 | Spain | 88,684 | 2.4% | |

*Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.




NONSURGICAL TOTALS RANKED BY CATEGORY

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | INJECTABLES |
|--------|-----------|----------------------|---------------------|-------------|
| 1 | USA | 2,045,988 | 18.8% | |
| 2 | Brazil | 957,132 | 8.8% | |
| 3 | Italy | 640,846 | 5.9% | |
| 4 | Germany | 620,533 | 5.7% | |
| 5 | Mexico | 475,755 | 4.4% | |
| 6 | Japan | 465,479 | 4.3% | |
| 7 | France | 363,476 | 3.3% | |
| 8 | Turkey | 343,157 | 3.2% | |
| 9 | Greece | 162,499 | 1.5% | |
| 10 | Argentina | 142,736 | 1.3% | |

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | OTHER |
|--------|-----------|----------------------|---------------------|-------|
| 1 | Japan | 534,157 | 35.5% | |
| 2 | USA | 308,775 | 20.5% | |
| 3 | Greece | 97,915 | 6.5% | |
| 4 | Mexico | 85,470 | 5.7% | |
| 5 | Argentina | 58,443 | 3.9% | |
| 6 | India | 55,104 | 3.7% | |
| 7 | Italy | 53,737 | 3.6% | |
| 8 | France | 37,848 | 2.5% | |
| 9 | Brazil | 28,432 | 1.9% | |
| 10 | Turkey | 28,203 | 1.9% | |

| RANK * | COUNTRY | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | FACIAL REJUVENATION |
|--------|-----------|----------------------|---------------------|---------------------|
| 1 | USA | 276,069 | 22.6% | |
| 2 | Japan | 224,042 | 18.3% | |
| 3 | Brazil | 86,438 | 7.1% | |
| 4 | India | 80,304 | 6.6% | |
| 5 | Italy | 79,689 | 6.5% | |
| 6 | Mexico | 58,580 | 4.8% | |
| 7 | Argentina | 31,405 | 2.6% | |
| 8 | Turkey | 31,103 | 2.5% | |
| 9 | Greece | 30,666 | 2.5% | |
| 10 | France | 21,759 | 1.8% | |

*Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.



COUNTRIES RANKED BY TOTAL NUMBER OF PROCEDURES

TOP 10

COUNTRIES RANKED BY TOTAL NUMBER OF PROCEDURES

| RANK * | COUNTRY | TOTAL SURGICAL PROCEDURES | PERCENTAGE OF TOTAL SURGICAL PROCEDURES | TOTAL NONSURGICAL PROCEDURES | PERCENTAGE OF TOTAL NON-SURGICAL PROCEDURES | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
|--------|---------|---------------------------|---|------------------------------|---|----------------------|---------------------|
| 1 | USA | 1,351,917 | 11.9% | 2,630,832 | 19.3% | 3,982,749 | 15.9% |
| 2 | Brazil | 1,493,673 | 13.1% | 1,072,002 | 7.9% | 2,565,675 | 10.3% |
| 3 | Japan | 249,543 | 2.2% | 1,223,678 | 9.0% | 1,473,221 | 5.9% |
| 4 | Mexico | 580,659 | 5.1% | 619,804 | 4.6% | 1,200,464 | 4.8% |
| 5 | Italy | 314,432 | 2.8% | 774,272 | 5.7% | 1,088,704 | 4.4% |
| 6 | Germany | 336,244 | 3.0% | 647,188 | 4.8% | 983,432 | 3.9% |
| 7 | Turkey | 351,930 | 3.1% | 402,462 | 3.0% | 754,392 | 3.0% |
| 8 | France | 320,997 | 2.8% | 423,084 | 3.1% | 744,081 | 3.0% |
| 9 | India | 394,728 | 3.5% | 249,024 | 1.8% | 643,752 | 2.6% |
| 10 | Russia | 483,152 | 4.3% | 93,735 | 0.7% | 576,886 | 2.3% |

*Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.

COUNTRIES RANKED BY ESTIMATED NUMBER OF PLASTIC SURGEONS



TOP 30

COUNTRIES RANKED BY ESTIMATED NUMBER OF PLASTIC SURGEONS

| RANK | COUNTRY | NUMBER OF SURGEONS | % OF TOTAL | RANK | COUNTRY | NUMBER OF SURGEONS | % OF TOTAL |
|------|-------------|--------------------|------------|------|----------------|--------------------|------------|
| 1 | USA | 6,900 | 13.7% | 16 | United Kingdom | 1,077 | 2.1% |
| 2 | Brazil | 6,011 | 11.9% | 17 | Spain | 1,021 | 2.0% |
| 3 | China | 3,000 | 6.0% | 18 | Chinese Taipei | 720 | 1.4% |
| 4 | Japan | 2,707 | 5.4% | 19 | Venezuela | 625 | 1.2% |
| 5 | South Korea | 2,571 | 5.1% | 20 | Peru | 563 | 1.1% |
| 6 | India | 2,400 | 4.8% | 21 | Canada | 500 | 1.0% |
| 7 | Mexico | 2,124 | 4.2% | 22 | Australia | 462 | 0.9% |
| 8 | Russia | 1,812 | 3.6% | 23 | Romania | 432 | 0.9% |
| 9 | Turkey | 1,450 | 2.9% | 24 | Thailand | 420 | 0.8% |
| 10 | Germany | 1,397 | 2.8% | 25 | Netherlands | 385 | 0.8% |
| 11 | Italy | 1,390 | 2.8% | 26 | Greece | 380 | 0.8% |
| 12 | Egypt | 1,215 | 2.4% | 27 | Iran | 361 | 0.7% |
| 13 | Colombia | 1,130 | 2.2% | 28 | Belgium | 317 | 0.6% |
| 14 | Argentina | 1,100 | 2.2% | 29 | Saudi Arabia | 306 | 0.6% |
| 15 | France | 1,082 | 2.1% | 30 | Portugal | 274 | 0.5% |



SURGICAL PROCEDURE GROUP RANKING BY COUNTRY

| RANK | | TOTAL | % OF TOTAL* |
|---------------|-------------------------------------|---------|-------------|
| BRAZIL | | | |
| 1 | Total Body & Extremities Procedures | 577,357 | 38.7% |
| 2 | Total Breast Procedures | 464,771 | 31.1% |
| 3 | Total Face & Head Procedures | 451,546 | 30.2% |
| USA | | | |
| 1 | Total Breast Procedures | 541,167 | 40.0% |
| 2 | Total Body & Extremities Procedures | 467,751 | 34.6% |
| 3 | Total Face & Head Procedures | 342,999 | 25.4% |
| MEXICO | | | |
| 1 | Total Face & Head Procedures | 225,972 | 38.9% |
| 2 | Total Body & Extremities Procedures | 210,892 | 36.3% |
| 3 | Total Breast Procedures | 143,795 | 24.8% |
| RUSSIA | | | |
| 1 | Total Face & Head Procedures | 235,143 | 48.7% |
| 2 | Total Breast Procedures | 124,720 | 25.8% |
| 3 | Total Body & Extremities Procedures | 123,288 | 25.5% |
| TURKEY | | | |
| 1 | Total Face & Head Procedures | 161,298 | 45.8% |
| 2 | Total Breast Procedures | 106,401 | 30.2% |
| 3 | Total Body & Extremities Procedures | 84,231 | 23.9% |

| RANK | | TOTAL | % OF TOTAL* |
|-----------------|-------------------------------------|---------|-------------|
| INDIA | | | |
| 1 | Total Face & Head Procedures | 163,944 | 41.5% |
| 2 | Total Body & Extremities Procedures | 137,064 | 34.7% |
| 3 | Total Breast Procedures | 93,720 | 23.7% |
| GERMANY | | | |
| 1 | Total Breast Procedures | 122,000 | 36.3% |
| 2 | Total Body & Extremities Procedures | 112,710 | 33.5% |
| 3 | Total Face & Head Procedures | 101,534 | 30.2% |
| FRANCE | | | |
| 1 | Total Face & Head Procedures | 120,427 | 37.5% |
| 2 | Total Breast Procedures | 108,882 | 33.9% |
| 3 | Total Body & Extremities Procedures | 91,689 | 28.6% |
| ITALY | | | |
| 1 | Total Face & Head Procedures | 132,245 | 42.1% |
| 2 | Total Breast Procedures | 107,169 | 34.1% |
| 3 | Total Body & Extremities Procedures | 75,018 | 23.9% |
| COLOMBIA | | | |
| 1 | Total Body & Extremities Procedures | 98,050 | 36.6% |
| 2 | Total Face & Head Procedures | 87,530 | 32.7% |
| 3 | Total Breast Procedures | 82,061 | 30.7% |

*Percentage reflects portion of country's total surgical procedures



NONSURGICAL PROCEDURE GROUP RANKING BY COUNTRY

| RANK | | TOTAL | % OF TOTAL* |
|----------------|--------------------------------------|-----------|-------------|
| USA | | | |
| 1 | Total Injectable Procedures | 2,045,988 | 77.8% |
| 2 | Total Other Procedures | 308,775 | 11.7% |
| 3 | Total Facial Rejuvenation Procedures | 276,069 | 10.5% |
| JAPAN | | | |
| 1 | Total Other Procedures | 534,157 | 43.7% |
| 2 | Total Injectable Procedures | 465,479 | 38.0% |
| 3 | Total Facial Rejuvenation Procedures | 224,042 | 18.3% |
| BRAZIL | | | |
| 1 | Total Injectable Procedures | 957,132 | 89.3% |
| 2 | Total Facial Rejuvenation Procedures | 86,438 | 8.1% |
| 3 | Total Other Procedures | 28,432 | 2.7% |
| GERMANY | | | |
| 1 | Total Injectable Procedures | 620,533 | 95.9% |
| 2 | Total Other Procedures | 17,630 | 2.7% |
| 3 | Total Facial Rejuvenation Procedures | 9,025 | 1.4% |
| MEXICO | | | |
| 1 | Total Injectable Procedures | 475,755 | 76.8% |
| 2 | Total Other Procedures | 85,470 | 13.8% |
| 3 | Total Facial Rejuvenation Procedures | 58,580 | 9.5% |

| RANK | | TOTAL | % OF TOTAL* |
|------------------|--------------------------------------|---------|-------------|
| FRANCE | | | |
| 1 | Total Injectable Procedures | 363,476 | 85.9% |
| 2 | Total Other Procedures | 37,848 | 8.9% |
| 3 | Total Facial Rejuvenation Procedures | 21,759 | 5.1% |
| TURKEY | | | |
| 1 | Total Injectable Procedures | 343,157 | 85.3% |
| 2 | Total Facial Rejuvenation Procedures | 31,103 | 7.7% |
| 3 | Total Other Procedures | 28,203 | 7.0% |
| GREECE | | | |
| 1 | Total Injectable Procedures | 162,499 | 55.8% |
| 2 | Total Other Procedures | 97,915 | 33.6% |
| 3 | Total Facial Rejuvenation Procedures | 30,666 | 10.5% |
| INDIA | | | |
| 1 | Total Injectable Procedures | 113,616 | 45.6% |
| 2 | Total Facial Rejuvenation Procedures | 80,304 | 32.2% |
| 3 | Total Other Procedures | 55,104 | 22.1% |
| ARGENTINA | | | |
| 1 | Total Injectable Procedures | 142,736 | 61.4% |
| 2 | Total Other Procedures | 58,443 | 25.1% |
| 3 | Total Facial Rejuvenation Procedures | 31,405 | 13.5% |

*Percentage reflects portion of country's total nonsurgical procedures



PROCEDURES PERFORMED BY
PLASTIC SURGEONS
IN 2019

NUMBER OF WORLDWIDE SURGICAL PROCEDURES PERFORMED BY PLASTIC SURGEONS



| RANK | SURGICAL PROCEDURES | TOTAL | PERCENTAGE OF TOTAL SURGICAL PROCEDURES |
|------|--|------------|---|
| 1 | Breast Augmentation | 1,795,551 | 15.8% |
| 2 | Liposuction | 1,704,786 | 15.0% |
| 3 | Eyelid Surgery | 1,259,839 | 11.1% |
| 4 | Abdominoplasty | 924,031 | 8.1% |
| 5 | Rhinoplasty | 821,890 | 7.2% |
| 6 | Breast Lift | 741,284 | 6.5% |
| 7 | Breast Reduction | 600,219 | 5.3% |
| 8 | Fat Grafting-face | 598,823 | 5.3% |
| 9 | Buttock Augmentation | 479,451 | 4.2% |
| 10 | Facelift | 448,485 | 3.9% |
| 11 | Ear Surgery | 288,905 | 2.5% |
| 12 | Gynecomastia | 273,344 | 2.4% |
| 13 | Brow Lift | 270,917 | 2.4% |
| 14 | Neck Lift | 260,747 | 2.3% |
| 15 | Breast Implant Removal | 229,680 | 2.0% |
| 16 | Upper Arm Lift | 168,289 | 1.5% |
| 17 | Labiaplasty (excluding vaginal rejuvenation) | 164,667 | 1.4% |
| 18 | Facial Bone Contouring | 108,536 | 1.0% |
| 19 | Thigh Lift | 93,334 | 0.8% |
| 20 | Lower Body Lift | 75,895 | 0.7% |
| 21 | Buttock Lift | 54,894 | 0.5% |
| | Total Surgical Procedures | 11,363,569 | |

NUMBER OF WORLDWIDE NONSURGICAL PROCEDURES PERFORMED BY PLASTIC SURGEONS



| RANK | NONSURGICAL PROCEDURES | TOTAL | PERCENTAGE OF TOTAL NONSURGICAL PROCEDURES |
|------|------------------------------|------------|--|
| 1 | Botulinum Toxin | 6,271,488 | 46.1% |
| 2 | Hyaluronic Acid | 4,315,859 | 31.7% |
| 3 | Hair Removal | 1,042,951 | 7.7% |
| 4 | Nonsurgical Fat Reduction | 462,769 | 3.4% |
| 5 | Photo Rejuvenation | 391,415 | 2.9% |
| 6 | Chemical Peel | 369,497 | 2.7% |
| 7 | Micro-Ablative Resurfacing | 270,759 | 2.0% |
| 8 | Calcium Hydroxylapatite | 212,762 | 1.6% |
| 9 | Full Field Ablative | 190,978 | 1.4% |
| 10 | Poly-L-Lactic Acid | 90,259 | 0.7% |
| | Total Nonsurgical Procedures | 13,618,735 | |

PERCENT OF PLASTIC SURGEONS PERFORMING EACH SURGICAL PROCEDURE



PERCENT OF PLASTIC SURGEONS PERFORMING EACH SURGICAL PROCEDURE

| SURGICAL PROCEDURES | WORLD-WIDE | ARGENTINA | BRAZIL | COLOMBIA | FRANCE | GERMANY | GREECE | INDIA | ITALY | MEXICO | RUSSIA | SPAIN | THAILAND | TURKEY | UNITED KINGDOM | USA |
|-------------------------------------|------------|-----------|--------|----------|--------|---------|--------|-------|--------|--------|--------|-------|----------|--------|----------------|-------|
| FACE & HEAD | | | | | | | | | | | | | | | | |
| Brow Lift | 65.1% | 72.7% | 75.3% | 64.7% | 56.5% | 64.9% | 48.2% | 46.3% | 70.0% | 78.1% | 80.0% | 63.0% | 80.0% | 75.9% | 47.5% | 55.3% |
| Ear Surgery | 76.7% | 87.9% | 76.6% | 88.2% | 87.0% | 56.8% | 96.3% | 90.2% | 96.7% | 85.2% | 73.3% | 85.2% | 80.0% | 89.7% | 80.0% | 53.0% |
| Eyelid Surgery | 91.4% | 90.9% | 96.1% | 96.1% | 100.0% | 89.2% | 96.3% | 90.2% | 100.0% | 97.7% | 90.0% | 92.6% | 93.3% | 96.6% | 95.0% | 85.4% |
| Facelift | 78.2% | 84.9% | 83.1% | 76.5% | 93.5% | 64.9% | 77.8% | 53.7% | 83.3% | 93.8% | 86.7% | 70.4% | 76.7% | 82.8% | 75.0% | 78.5% |
| Facial Bone Contouring | 33.4% | 33.3% | 31.2% | 33.3% | 30.4% | 18.9% | 40.7% | 56.1% | 26.7% | 65.6% | 50.0% | 29.6% | 50.0% | 41.4% | 12.5% | 31.2% |
| Fat Grafting-face | 73.3% | 66.7% | 76.6% | 84.3% | 82.6% | 64.9% | 77.8% | 85.4% | 90.0% | 82.0% | 90.0% | 74.1% | 66.7% | 82.8% | 42.5% | 52.5% |
| Neck Lift | 64.4% | 78.8% | 68.8% | 66.7% | 67.4% | 46.0% | 77.8% | 46.3% | 53.3% | 86.7% | 76.7% | 66.7% | 66.7% | 72.4% | 67.5% | 58.6% |
| Hair Transplantation | 12.3% | 18.2% | 7.8% | 15.7% | 23.9% | 5.4% | 25.9% | 73.2% | 10.0% | 13.3% | 6.7% | 0.0% | 6.7% | 20.7% | 5.0% | 0.3% |
| Rhinoplasty | 76.9% | 90.9% | 85.7% | 92.2% | 73.9% | 35.1% | 92.6% | 90.2% | 90.0% | 93.0% | 73.3% | 77.8% | 83.3% | 93.1% | 70.0% | 60.2% |
| BREAST | | | | | | | | | | | | | | | | |
| Breast Augmentation (saline) | 10.9% | 0.0% | 0.0% | 0.0% | 4.3% | 0.0% | 11.1% | 7.3% | 0.0% | 3.1% | 0.0% | 3.7% | 0.0% | 0.0% | 5.0% | 56.1% |
| Breast Augmentation (silicone) | 89.0% | 93.9% | 96.1% | 94.1% | 95.7% | 83.8% | 96.3% | 87.8% | 90.0% | 96.9% | 73.3% | 92.6% | 83.3% | 93.1% | 100.0% | 85.4% |
| Breast Augmentation (fat transfer) | 52.6% | 48.5% | 36.4% | 35.3% | 82.6% | 73.0% | 55.6% | 70.7% | 63.3% | 55.5% | 50.0% | 63.0% | 23.3% | 37.9% | 52.5% | 44.2% |
| Breast Implant Removal | 78.7% | 72.7% | 77.9% | 88.2% | 91.3% | 81.1% | 88.9% | 39.0% | 83.3% | 85.2% | 76.7% | 81.5% | 76.7% | 62.1% | 90.0% | 85.9% |
| Breast Lift | 86.3% | 84.9% | 90.9% | 90.2% | 93.5% | 81.1% | 96.3% | 75.6% | 90.0% | 93.0% | 76.7% | 88.9% | 73.3% | 93.1% | 97.5% | 87.9% |
| Breast Reduction | 86.6% | 90.9% | 94.8% | 96.1% | 89.1% | 81.1% | 96.3% | 95.1% | 90.0% | 91.4% | 73.3% | 88.9% | 80.0% | 93.1% | 95.0% | 82.9% |
| Gynecomastia | 79.5% | 84.9% | 88.3% | 76.5% | 87.0% | 70.3% | 96.3% | 97.6% | 83.3% | 85.2% | 66.7% | 88.9% | 60.0% | 86.2% | 75.0% | 72.9% |
| BODY & EXTREMITIES | | | | | | | | | | | | | | | | |
| Abdominoplasty | 90.4% | 93.9% | 96.1% | 94.1% | 95.7% | 83.8% | 96.3% | 92.7% | 86.7% | 96.9% | 90.0% | 92.6% | 73.3% | 93.1% | 95.0% | 87.0% |
| Buttock Augmentation (implants) | 20.3% | 36.4% | 26.0% | 47.1% | 21.7% | 5.4% | 3.7% | 14.6% | 10.0% | 40.6% | 30.0% | 29.6% | 23.3% | 13.8% | 5.0% | 6.1% |
| Buttock Augmentation (fat transfer) | 55.1% | 54.6% | 84.4% | 78.4% | 65.2% | 32.4% | 55.6% | 39.0% | 53.3% | 89.8% | 56.7% | 74.1% | 20.0% | 48.3% | 5.0% | 42.3% |
| Buttock Lift | 24.0% | 12.1% | 19.5% | 21.6% | 26.1% | 24.3% | 29.6% | 22.0% | 20.0% | 41.4% | 13.3% | 14.8% | 16.7% | 20.7% | 22.5% | 22.7% |
| Liposuction (all techniques) | 91.2% | 93.9% | 97.4% | 92.2% | 93.5% | 83.8% | 92.6% | 97.6% | 86.7% | 95.3% | 96.7% | 92.6% | 86.7% | 93.1% | 90.0% | 89.5% |
| Lower Body Lift | 30.7% | 21.2% | 37.7% | 23.5% | 50.0% | 21.6% | 48.2% | 31.7% | 16.7% | 50.0% | 13.3% | 25.9% | 13.3% | 37.9% | 25.0% | 29.0% |
| Penile Enlargement | 7.7% | 3.0% | 1.3% | 3.9% | 19.6% | 8.1% | 14.8% | 17.1% | 13.3% | 7.0% | 10.0% | 7.4% | 10.0% | 17.2% | 0.0% | 3.0% |
| Thigh Lift | 50.5% | 42.4% | 48.1% | 49.0% | 65.2% | 43.2% | 74.1% | 39.0% | 43.3% | 52.3% | 33.3% | 70.4% | 26.7% | 65.5% | 47.5% | 46.4% |
| Upper Arm Lift | 66.6% | 42.4% | 72.7% | 62.8% | 82.6% | 70.3% | 81.5% | 58.5% | 70.0% | 75.0% | 43.3% | 63.0% | 40.0% | 79.3% | 70.0% | 69.9% |
| Upper Body Lift | 17.0% | 18.2% | 24.7% | 19.6% | 23.9% | 24.3% | 29.6% | 19.5% | 10.0% | 32.8% | 10.0% | 7.4% | 13.3% | 27.6% | 7.5% | 1.9% |
| Labiaplasty | 56.1% | 60.6% | 79.2% | 58.8% | 63.0% | 62.2% | 66.7% | 56.1% | 60.0% | 60.9% | 60.0% | 85.2% | 46.7% | 72.4% | 62.5% | 34.5% |
| Vaginal Rejuvenation | 18.4% | 24.2% | 32.5% | 29.4% | 15.2% | 13.5% | 14.8% | 53.7% | 16.7% | 24.2% | 20.0% | 7.4% | 6.7% | 34.5% | 0.0% | 1.1% |

PERCENT OF PLASTIC SURGEONS PERFORMING EACH NONSURGICAL PROCEDURE



PERCENT OF PLASTIC SURGEONS PERFORMING EACH NONSURGICAL PROCEDURE



| NONSURGICAL PROCEDURES | WORLD-WIDE | ARGENTINA | BRAZIL | COLOMBIA | FRANCE | GERMANY | GREECE | INDIA | ITALY | MEXICO | RUSSIA | SPAIN | THAILAND | TURKEY | UNITED KINGDOM | USA |
|-----------------------------|------------|-----------|--------|----------|--------|---------|--------|-------|-------|--------|--------|-------|----------|--------|----------------|-------|
| INJECTABLES | | | | | | | | | | | | | | | | |
| Botulinum Toxin | 83.8% | 87.9% | 87.0% | 88.2% | 97.8% | 94.6% | 96.3% | 68.3% | 86.7% | 92.2% | 40.0% | 51.9% | 60.0% | 96.6% | 87.5% | 80.7% |
| Calcium Hydroxylapatite | 20.6% | 21.2% | 29.9% | 13.7% | 21.7% | 16.2% | 14.8% | 2.4% | 43.3% | 40.6% | 6.7% | 33.3% | 0.0% | 17.2% | 2.5% | 25.4% |
| Hyaluronic Acid | 78.8% | 84.9% | 81.8% | 84.3% | 95.7% | 89.2% | 96.3% | 61.0% | 86.7% | 86.7% | 40.0% | 55.6% | 20.0% | 82.8% | 80.0% | 76.2% |
| Poly-L-Lactic Acid | 11.4% | 6.1% | 29.9% | 5.9% | 8.7% | 8.1% | 18.5% | 2.4% | 20.0% | 11.7% | 10.0% | 7.4% | 0.0% | 0.0% | 2.5% | 24.6% |
| FACIAL REJUVENATION | | | | | | | | | | | | | | | | |
| Chemical Peel | 30.2% | 21.2% | 37.7% | 7.8% | 43.5% | 16.2% | 51.9% | 46.3% | 56.7% | 29.7% | 6.7% | 37.0% | 3.3% | 13.8% | 15.0% | 38.1% |
| Full Field Ablative | 19.2% | 21.2% | 10.4% | 7.8% | 10.9% | 8.1% | 51.9% | 22.0% | 33.3% | 15.6% | 20.0% | 22.2% | 6.7% | 24.1% | 5.0% | 26.2% |
| Micro-Ablative Resurfacing | 12.6% | 12.1% | 6.5% | 5.9% | 6.5% | 2.7% | 37.0% | 29.3% | 23.3% | 7.8% | 3.3% | 11.1% | 3.3% | 20.7% | 0.0% | 18.5% |
| Dermabrasion | 14.6% | 6.1% | 15.6% | 13.7% | 15.2% | 13.5% | 22.2% | 46.3% | 6.7% | 21.1% | 10.0% | 18.5% | 3.3% | 17.2% | 5.0% | 0.8% |
| Microdermabrasion | 11.1% | 18.2% | 13.0% | 7.8% | 0.0% | 8.1% | 33.3% | 31.7% | 3.3% | 28.1% | 3.3% | 7.4% | 0.0% | 10.3% | 0.0% | 2.2% |
| Nonsurgical Skin Tightening | 18.2% | 24.2% | 13.0% | 17.7% | 23.9% | 27.0% | 63.0% | 19.5% | 26.7% | 28.1% | 6.7% | 22.2% | 6.7% | 24.1% | 12.5% | 3.9% |
| Photo Rejuvenation | 14.3% | 30.3% | 7.8% | 5.9% | 10.9% | 5.4% | 33.3% | 14.6% | 13.3% | 19.5% | 3.3% | 18.5% | 10.0% | 6.9% | 0.0% | 21.3% |
| Polymethylmethacrylate | 0.8% | 3.0% | 3.9% | 2.0% | 0.0% | 0.0% | 3.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3.5% | 0.0% | 0.3% |
| OTHER | | | | | | | | | | | | | | | | |
| Cellulite Treatment | 11.6% | 27.3% | 11.7% | 9.8% | 13.0% | 13.5% | 55.6% | 9.8% | 36.7% | 21.9% | 3.3% | 22.2% | 3.3% | 6.9% | 0.0% | 0.3% |
| Hair Removal | 18.8% | 27.3% | 6.5% | 11.8% | 17.4% | 2.7% | 66.7% | 36.6% | 33.3% | 18.0% | 0.0% | 22.2% | 16.7% | 24.1% | 2.5% | 21.3% |
| Nonsurgical Fat Reduction | 21.1% | 21.2% | 9.1% | 7.8% | 41.3% | 37.8% | 59.3% | 19.5% | 20.0% | 21.9% | 0.0% | 22.2% | 6.7% | 17.2% | 10.0% | 27.1% |
| Tattoo Removal | 15.2% | 24.2% | 5.2% | 5.9% | 4.3% | 13.5% | 25.9% | 78.1% | 23.3% | 25.0% | 6.7% | 11.1% | 13.3% | 17.2% | 10.0% | 0.8% |
| Treatment of Leg Veins | 7.3% | 12.1% | 3.9% | 2.0% | 2.2% | 2.7% | 29.6% | 12.2% | 3.3% | 11.7% | 3.3% | 18.5% | 13.3% | 17.2% | 2.5% | 1.7% |
| Sclerotherapy | 12.6% | 15.2% | 6.5% | 2.0% | 0.0% | 10.8% | 33.3% | 24.4% | 20.0% | 15.6% | 3.3% | 18.5% | 10.0% | 10.3% | 7.5% | 14.9% |



DEMOGRAPHICS





GENDER DISTRIBUTION FOR COSMETIC PROCEDURES - SURGICAL


| GENDER DISTRIBUTION FOR COSMETIC PROCEDURES: SURGICAL | | | | | | | |
|--|--|----------------------|---------------------|------|--|----------------------|---------------------|
| RANK |  FEMALE | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | RANK |  MALE | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
| 1 | Breast Augmentation | 1,777,182 | 99.0% | 1 | Gynecomastia | 273,344 | 100.0% |
| 2 | Liposuction | 1,458,114 | 85.5% | 2 | Eyelid Surgery | 262,902 | 20.9% |
| 3 | Eyelid Surgery | 996,937 | 79.1% | 3 | Liposuction | 246,672 | 14.5% |
| 4 | Abdominoplasty | 850,917 | 92.1% | 4 | Rhinoplasty | 205,828 | 25.0% |
| 5 | Breast Lift | 741,284 | 100.0% | 5 | Ear Surgery | 111,819 | 38.7% |
| 6 | Rhinoplasty | 616,062 | 75.0% | 6 | Fat Grafting-Face | 97,894 | 16.3% |
| 7 | Breast Reduction | 600,219 | 100.0% | 7 | Abdominoplasty | 73,114 | 7.9% |
| 8 | Fat Grafting-Face | 500,930 | 83.7% | 8 | Facelift | 61,965 | 13.8% |
| 9 | Buttock Augmentation | 460,127 | 96.0% | 9 | Brow Lift | 50,008 | 18.5% |
| 10 | Facelift | 386,520 | 86.2% | 10 | Neck Lift | 46,597 | 17.9% |
| 11 | Breast Implant Removal | 228,664 | 99.6% | 11 | Facial Bone Contouring | 28,426 | 26.2% |
| 12 | Brow Lift | 220,909 | 81.5% | 12 | Buttock Augmentation | 19,324 | 4.0% |
| 13 | Neck Lift | 214,150 | 82.1% | 13 | Breast Augmentation | 18,369 | 1.0% |
| 14 | Ear Surgery | 177,086 | 61.3% | 14 | Lower Body Lift | 12,163 | 16.0% |
| 15 | Labioplasty | 164,667 | 100.0% | 15 | Upper Arm Lift | 8,014 | 4.8% |
| 16 | Upper Arm Lift | 160,276 | 95.2% | 16 | Thigh Lift | 7,467 | 8.0% |
| 17 | Thigh Lift | 85,867 | 92.0% | 17 | Buttock Lift | 5,440 | 9.9% |
| 18 | Facial Bone Contouring | 80,110 | 73.8% | 18 | Breast Implant Removal | 1,016 | 0.4% |
| 19 | Lower Body Lift | 63,732 | 84.0% | | | | |
| 20 | Buttock Lift | 49,454 | 90.1% | | | | |
| | Total Surgical Procedures | 9,833,208 | 86.5% | | | 1,530,361 | 13.5% |



GENDER DISTRIBUTION FOR COSMETIC PROCEDURES - NONSURGICAL

| GENDER DISTRIBUTION FOR COSMETIC PROCEDURES: NONSURGICAL | | | | | | | |
|--|----------------------------|----------------------|---------------------|------------------------------|----------------------------|----------------------|---------------------|
| RANK | FEMALE | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL | RANK | MALE | NUMBER OF PROCEDURES | PERCENTAGE OF TOTAL |
| 1 | Botulinum Toxin | 5,429,754 | 86.6% | 1 | Botulinum Toxin | 841,735 | 13.4% |
| 2 | Hyaluronic Acid | 3,823,475 | 88.6% | 2 | Hyaluronic Acid | 492,384 | 11.4% |
| 3 | Hair Removal | 929,328 | 89.1% | 3 | Hair Removal | 113,622 | 10.9% |
| 4 | Nonsurgical Fat Reduction | 386,064 | 83.4% | 4 | Nonsurgical Fat Reduction | 76,705 | 16.6% |
| 5 | Photo Rejuvenation | 347,305 | 88.7% | 5 | Micro-Ablative Resurfacing | 48,463 | 17.9% |
| 6 | Chemical Peel | 324,774 | 87.9% | 6 | Chemical Peel | 44,723 | 12.1% |
| 7 | Micro-Ablative Resurfacing | 222,296 | 82.1% | 7 | Photo Rejuvenation | 44,110 | 11.3% |
| 8 | Calcium Hydroxylapatite | 173,882 | 81.7% | 8 | Calcium Hydroxylapatite | 38,880 | 18.3% |
| 9 | Full Field Ablative | 157,875 | 82.7% | 9 | Full Field Ablative | 33,103 | 17.3% |
| 10 | Poly-L-Lactic Acid | 81,721 | 90.5% | 10 | Poly-L-Lactic Acid | 8,538 | 9.5% |
| Total NonSurgical Procedures | | 11,876,473 | 87.2% | Total NonSurgical Procedures | | 1,742,263 | 12.8% |

| | | | | | | |
|---|---|-------------------------|-------------------|--------------|------------------|--------------|
|  |  | Total Procedures | 21,709,680 | 86.9% | 3,272,624 | 13.1% |
|---|---|-------------------------|-------------------|--------------|------------------|--------------|



AGE DISTRIBUTION FOR CERTAIN COSMETIC PROCEDURES

| AGE DISTRIBUTION FOR CERTAIN COSMETIC PROCEDURES | | | | | | | | | | |
|--|------------------------|------|--------------------|-------|--------------------|-------|--------------------|-------|----------------------|------|
| | 18 YEARS OR YOUNGER | | 19-34 YEARS OLD | | 35-50 YEARS OLD | | 51-64 YEARS OLD | | 65 YEARS OR OLDER | |
| Breast Augmentations | 43,273 | 2.4% | 967,263 | 53.9% | 640,653 | 35.7% | 128,741 | 7.2% | 15,621 | 0.9% |
| Rhinoplasty | 53,998 | 6.6% | 530,202 | 64.5% | 196,350 | 23.9% | 35,423 | 4.3% | 5,918 | 0.7% |
| Botulinum Toxin | 63,342 | 1.0% | 1,361,540 | 21.7% | 2,888,647 | 46.1% | 1,582,296 | 25.2% | 375,662 | 6.0% |
| Liposuction | 40,574 | 2.4% | 700,837 | 41.1% | 723,341 | 42.4% | 204,745 | 12.0% | 35,289 | 2.1% |
| Nonsurgical Fat Reduction | 16,613 | 3.6% | 168,679 | 36.5% | 198,805 | 43.0% | 64,741 | 14.0% | 13,929 | 3.0% |

BREAST AUGMENTATIONS FOR WOMEN 17 YEARS OLD OR YOUNGER

| Worldwide Totals | 12.2% |
|------------------|-------|
| Argentina | 21.9% |
| France | 20.9% |
| Brazil | 17.6% |
| Mexico | 16.1% |
| Thailand | 13.3% |
| India | 12.8% |
| Colombia | 12.0% |
| USA | 11.1% |
| Russia | 11.1% |
| Turkey | 10.7% |
| Greece | 8.0% |
| Spain | 7.7% |
| Italy | 6.7% |
| Germany | 5.4% |
| United Kingdom | 2.7% |





| REASONS FOR PROCEDURE | |
|--|-------|
| Congenital absent breast (i.e., Poland's syndrome) | 12.8% |
| Severe asymmetry | 15.5% |
| Congenital micromastia | 13.6% |
| Tubular breast | 21.5% |
| Purely cosmetic bilateral augmentation | 32.3% |
| Other | 4.3% |

COSMETIC PROCEDURES BY LOCATION



| COSMETIC PROCEDURES BY LOCATION | | | | |
|---------------------------------|--------------------|--------------|-----------------------------|-------------|
| | AN OFFICE FACILITY | A HOSPITAL | A FREE-STANDING SURGICENTER | OTHER |
| World Wide Totals | 31.0% | 47.9% | 20.3% | 0.8% |
| Argentina | 33.6% | 34.8% | 28.4% | 3.2% |
| Brazil | 34.6% | 59.5% | 6.0% | 0.0% |
| Colombia | 24.0% | 48.7% | 26.9% | 0.4% |
| France | 45.5% | 46.7% | 7.8% | 0.0% |
| Germany | 35.3% | 29.3% | 29.7% | 5.7% |
| Greece | 51.9% | 38.5% | 9.6% | 0.0% |
| India | 11.3% | 62.9% | 25.3% | 0.6% |
| Italy | 50.1% | 31.3% | 18.3% | 0.3% |
| Mexico | 25.4% | 47.8% | 26.3% | 0.5% |
| Russia | 10.1% | 45.7% | 44.2% | 0.1% |
| Spain | 26.2% | 58.8% | 15.0% | 0.0% |
| Thailand | 39.3% | 54.7% | 6.0% | 0.0% |
| Turkey | 27.8% | 66.1% | 3.5% | 2.7% |
| United Kingdom | 8.4% | 84.8% | 6.8% | 0.0% |
| USA | 62.7% | 26.8% | 10.5% | 0.0% |

MEDICAL TOURISM



TOP 3

| MEDICAL TOURISM PERCENTAGE OF PATIENTS ATTENDING FROM OTHER COUNTRIES | | |
|--|-------------|--------------|
| | MEDIAN | AVERAGE |
| World-Wide Totals | 5.0% | 12.9% |
| USA | 1.0% | 4.2% |
| Brazil | 2.5% | 5.5% |
| Mexico | 10.0% | 22.5% |
| Colombia | 10.0% | 17.8% |
| France | 5.0% | 12.5% |
| India | 10.0% | 10.1% |
| United Kingdom | 1.3% | 5.5% |
| Germany | 5.0% | 12.0% |
| Argentina | 2.0% | 3.8% |
| Italy | 1.0% | 4.3% |
| Russia | 5.0% | 6.0% |
| Thailand | 10.0% | 33.2% |
| Turkey | 8.0% | 19.2% |
| Greece | 10.0% | 14.7% |
| Spain | 7.5% | 12.9% |

| MOST FREQUENTLY-CITED COUNTRIES OF FOREIGN PATIENTS | | |
|--|----------------|------------|
| 1 | 2 | 3 |
| Canada | Mexico | Venezuela |
| USA | Portugal | Italy |
| USA | Canada | Spain |
| USA | Spain | Panama |
| Switzerland | United Kingdom | Belgium |
| USA | United Kingdom | Bangladesh |
| United Arab Emirates | Kuwait | Poland |
| Russia | Switzerland | Austria |
| Brazil | USA | Chile |
| Switzerland | Germany | France |
| Germany | USA | Kazakhstan |
| Australia | USA | China |
| Germany | United Kingdom | Iraq |
| United Kingdom | Germany | USA |
| United Kingdom | France | Italy |



PROCEDURE
INFO SHEET



PROCEDURE INFO SHEET - SURGICAL

| SURGICAL PROCEDURES | Best for | Cost* | Length of Procedure | Number of Treatments | Out of Office? |
|--|--|--------|---------------------|----------------------|----------------|
| Breast Augmentation | Small breasts or breast asymmetry | \$\$\$ | 1-2 hours | 1 | 1-2 weeks |
| Breast Lift | Sagging, poorly shaped breasts | \$\$\$ | 1.5-3.5 hours | 1 | 1-2 weeks |
| Breast Reduction | Large, heavy, loose, or disproportionate breasts | \$\$\$ | 2-4 hours | 1 | 1-2 weeks |
| Brow Lift | Sagging eyebrows, forehead creases, frown lines | \$\$\$ | 1-2 hours | 1 | Up to 10 days |
| Buttock Augmentation | Weight loss or minimal volume buttock | \$\$\$ | 1-2 hours | Varies | 1 week |
| Buttock Lift | Sagging skin or excess fat, weakened muscles in thigh/buttocks | \$\$\$ | 2 hours | 1 | 2-4 weeks |
| Chin Augmentation / Genioplasty | Receding chin | \$\$ | 1 hour | 1 | 1-2 weeks |
| Ear Surgery | Protruding or disproportionate ears | \$\$\$ | 2-3 hours | 1 | 1-2 weeks |
| Eyelid Surgery | Excess fat, wrinkled or drooping skin, upper eyelids, bags, puffiness under eyes | \$\$\$ | 1-3 hours | 1 | Up to 10 days |
| Facelift | Loos skin, deep lines, wrinkles, jowls | \$\$\$ | 2-3 hours | 1 | Up to 2 weeks |
| Fat Transfer (breast) | Lack of volume | \$\$\$ | 2-4 hours | 2+ | 2-3 days |
| Fat Transfer (face) | Lack of volume | \$\$ | 1-2 hours | 1+ | 2 weeks |
| Labiaplasty | Enlarged, asymmetric, or protruding labia minora | \$\$ | 1 hour | 1 | 1 week |
| Liposuction | Isolated fatty areas | \$\$\$ | 1-2 hours | 1 | 1-2 weeks |
| Lower Body Lift | Loose thighs, buttock, and abdomen | \$\$\$ | Up to 8 hours | 1 | Up to 4 weeks |
| Male Breast Reduction | Gynecomastia | \$\$\$ | 2 hours | 1 | 1 week |
| Neck Lift | Loose, sagging, excess skin | \$\$\$ | 2-3 hours | 1 | Up to 2 weeks |
| Rhinoplasty | Large or wide nose, deformity | \$\$\$ | 1-2 hours | 1 | 1-2 weeks |
| Thigh Lift | Loose, excess skin | \$\$\$ | 2 hours | 1 | 2-4 weeks |
| Tummy Tuck | Protruding abdomen, excess fat and skin | \$\$\$ | 2-5 hours | 1 | 2-4 weeks |
| Upper Arm Lift | Excess skin and fat | \$\$\$ | 2 hours | 1 | 1-2 weeks |

*Surgeon fees may vary.



PROCEDURE INFO SHEET - NONSURGICAL

| NONSURGICAL PROCEDURES | Best for | Cost* | Length of Procedure | Number of Treatments | Out of Office? |
|--|--|-------|----------------------------------|--|----------------------------------|
| Botulinum Toxin (Botox, Dypport, Xeomin) | Frown lines, crow's feet | \$ | 30 minutes | Repeat treatments every 4-6 months | 0 days |
| Calcium Hydroxylapatite (Radiesse) | Frown lines, crow's feet, nasolabial folds, lips | \$ | < 1 hour | Repeat treatments every 2+ years | 0 days |
| Chemical Peel | Sun-damaged or unevenly pigmented skin | \$ | Varies depending on type of peel | Varies depending on type of peel | Varies depending on type of peel |
| Full Field Ablative (laser skin resurfacing) | Fair and non-oily, sun-damaged facial skin, mouth and eye wrinkles, acne scars | \$\$ | Varies | Varies depending on laser and skin condition | Varies |
| Hyaluronic Acid (Juvederm Ultra, Ultra Plus, Voluma, Perlane, Restylane, Belotero) | Nasolabial folds, forehead wrinkles, smile lines, and lips | \$ | < 1 hour | Repeat treatments every 4-12 months | 0 days |
| Laser Hair Removal | Unwanted facial or body hair | \$ | Varies depending on area | Multiple sessions | 0 days |
| Micro-Ablative Resurfacing (fractional resurfacing) | Acitinic changes, acne scars, pigment, superficial lines | \$\$ | 30-60 minutes | Varies | Varies |
| Nonsurgical Fat Reduction (CoolSculpting, VaserShape, Liposonix) | Resistant fat, mild lipodystrophy | \$\$ | 1-3 hours | 1-6 | 0 days |
| Photo Rejuvenation (IPL) | Pigment, superficial lines | \$ | 10-30 minutes | 3-5 | 0 days |
| Poly-L-Lactic Acid (Sculptra) | Cheeks, temple, jawline, volume loss, facial fat | \$ | < 1 hour | 2-4 | 0 days |
| Sclerotherapy | Spider veins | \$ | 30-60 minutes | 3-4 | 0 days |

*Surgeon fees may vary.



ISAPS EXECUTIVE OFFICE

10 Benning Street, Suite 160 #264
West Lebanon, NH 03784-3402
United States
Phone: 1-603-643-2325
Email: ISAPS@isaps.org
www.ISAPS.org

MARKETING OFFICE

boeld communication
Kapuzinerstraße 9d, 80337 Munich, Germany
marketing@isaps.org
www.bb-mc.com

**FOR PRESS INQUIRIES,
PLEASE CONTACT:**

media@isaps.org
+49 89 189 046135

ISAPS BOARD OF DIRECTORS

| | |
|------------------------------|---|
| PRESIDENT | Nazim CERKES, MD, PHD - Turkey |
| PRESIDENT-ELECT | Lina TRIANA, MD - Colombia |
| SECRETARY | Arturo RAMIREZ-MONTANANA, MD - Belgium |
| TREASURER | Tim PAPADOPOULOS, MD - Australia |
| MEMBERSHIP CHAIR | Vakis Kontoes, MD, PhD - Greece |
| MEMBER-AT-LARGE | Fabian CORTINAS, MD - Argentina |
| MEMBER-AT-LARGE | Kai-Uwe SCHLAUDRAFF, MD, FEBOPRAS - Switzerland |
| MEMBER-AT-LARGE | Ivar VAN HEIJNINGEN, MD - BELGIUM |
| MEMBER-AT-LARGE | Niveo STEFFEN, MD - Brazil |
| NATIONAL SECRETARIES CHAIR | Michel ROUIF, MD - France |
| PARLIAMENTARIAN | Sanguan KUNAPORN, MD - Thailand |
| EDUCATION COUNCIL CHAIR | Ozan SOZER, MD - United States |
| EDUCATION COUNCIL VICE-CHAIR | Francisco BRAVO, MD - Spain |
| PAST PRESIDENT | Dirk RICHTER, MD - Germany |
| TRUSTEE | Renato SALTZ MD, FACS - United States |
| EXECUTIVE DIRECTOR | Catherine FOSS - United States |